

## **Liliaceae s.l.**

Now often divided into segregate families. Concept here is that of Flora of Australia.

Includes (depending on jurisdiction) Alliaceae, Alstroemeriaceae, Amaryllidaceae, Anthericaceae, Asparagaceae, Asphodelaceae, Asteliaceae, Blandfordiaceae, Boryaceae, Campynemaceae, Colchicaceae, Convallariaceae, Hemerocallidaceae, Hyacinthaceae, Hypoxidaceae, Liliaceae s. str., Luzuriagaceae, Phormiaceae, Tecophilaeaceae, Uvulariaceae

### **AGAPANTHUS L'Hér.**

**Agapanthus praecox** Willd.

**Agapanthus praecox** subsp. **orientalis** (F.M.Leight.) F.M.Leight.

*Agapanthus orientalis* F.M.Leight.

WA (naturalised), SA (naturalised), NSW (naturalised), LHI (naturalised), Vic (naturalised)

**Agapanthus praecox** Willd. subsp. **praecox**

WA (naturalised)

### **AGROSTOCRINUM F.Muell.**

**Agrostocrinum scabrum** (R.Br.) Baill.

*Arthropodium scabrum* (R.Br.) Spreng.

*Caesia scabra* (R.Br.) Baker

*Stypandra scabra* R.Br.

WA

**Agrostocrinum scabrum** (R.Br.) Baill. subsp. **scabrum**

WA

**Agrostocrinum scabrum** subsp. **littorale** Keighery

WA

**Agrostocrinum hirsutum** (Lindl.) Keighery

*Agrostocrinum stypandroides* F.Muell.

*Caesia hirsuta* Lindl.

WA

### **ALANIA Endl.**

*Allania* Meisn., *orth. var.*

**Alania endlicheri** Kunth

NSW

### **ALLIUM L.**

*Briseis* Salisb.

**Allium ampeloprasum** L.

*Allium porrum* L. (Leek) is considered to be the cultivated form of wild *A. ampeloprasum* L. Some continue to treat them as two distinct species, others as a single taxon. If they are combined, the name *A. ampeloprasum* is conserved over *A. porrum*.

WA (naturalised), SA (naturalised), NSW (naturalised), Vic (naturalised), Tas (naturalised)

**Allium cepa** L.

SA (sparingly naturalised)

**Allium neapolitanum** Cirillo

*Allium inodorum* Aiton

WA (naturalised), SA (naturalised), NSW (naturalised), Vic (naturalised), Tas (naturalised)

**Allium oleraceum** L.

NSW (naturalised)

**Allium orientale** Boiss.

The name *Allium roseum* L. has been misapplied to this species in WA (fide J.W.Green (1985); N.G.Marchant *et al.*, Fl. Perth Region 2: 783 (1987)).

WA (naturalised)

**Allium paniculatum** L.

SA (naturalised), Vic (naturalised)

**Allium paniculatum** L. subsp. **paniculatum**

SA (naturalised), Vic (naturalised)

**Allium porrum** L.

*Allium porrum* L. (Leek) is considered to be the cultivated form of wild *A. ampeloprasum* L. Some continue to treat them as two distinct species, others as a single taxon. If they are combined, the name *A. ampeloprasum* is conserved over *A. porrum*.

WA (naturalised)

**Allium roseum** L.

*Allium roseum* subsp. *bulbiferum* (DC. ex W.D.J.Koch) E.F.Warb.

*Allium roseum* var. *bulbiferum* DC. ex W.D.J.Koch

SA (naturalised)

**Allium scorodoprasum** L.

SA (naturalised)

**Allium scorodoprasum** subsp. **rotundum** (L.) Stearn

*Allium rotundum* L.

SA (naturalised)

**Allium scordoprasum** L. subsp. **scordoprasum**

SA (formerly naturalised (1943), now eradicated)

**Allium triquetrum** L.

WA (naturalised), SA (naturalised), Qld (sparingly naturalised), NSW (naturalised), Vic (naturalised), Tas (naturalised)

**Allium vineale** L.

*Allium vineale* var. *compactum* auct. non (Thuill.) Lej.: J.H.Willis, Handb. Pl. Victoria 1: 325 (1962)

WA (naturalised), SA (naturalised), NSW (naturalised), Vic (naturalised), Tas (naturalised)

**ALSTROEMERIA** L.

**Alstroemeria aurea** Graham

*Alstroemeria aurantiaca* D.Don

Treated as *A. aurantiaca* D.Don in SA, but generally that name is considered a synonym of *A. aurea*.

SA (sparingly naturalised), NSW (naturalised), Vic (naturalised)

**Alstroemeria psittacina** Lehm.

*Alstroemeria pulchella* auct. non L.f.: P.S.Green, Fl. Austral. 49: 512 (1994); G.J.Harden, Fl. New South Wales 4: 108 (1993); R.J.F.Henderson, Names Distrib. Queensland Pl. 13 (2002)

There is some doubt as to whether the naturalised plants in Australia and territories should be referred to *A. psittacina* or *A. pulchella*. Green (1994) referred the LHI and NI plants to *A. pulchella* and considered *A. psittacina* a synonym. Xifreda, *Darwiniana* 31: 321-325 (1992) considered that the name *A. pulchella* was misapplied to *A. psittacina*, and that *A. pulchella* was a good species, a view accepted in WA (FloraBase) and in the GRIN database.

WA (naturalised), Qld (naturalised), NSW (naturalised), LHI (naturalised), NI (naturalised), Vic (sparingly naturalised)

## AMARYLLIS L.

### **Amaryllis belladonna L.**

WA (naturalised), SA (naturalised), NSW (naturalised), Vic (naturalised)

## ARNOCRINUM Endl. & Lehm.

### **Arnocrinum drummondii** Endl.

*Arnocrinum glabrum* Baker

WA

### **Arnocrinum gracillimum** Keighery

WA

### **Arnocrinum preissii** Lehm.

WA

## ARTHROPODIUM R.Br.

*Dichopogon* was treated as a distinct genus in Flora of Australia, but is now included by many in *Arthropodium* following Stringer & Conran (1991). However, in WA three species are retained in *Dichopogon*, at least in part because formal names are not available in *Arthropodium*. Recent NSW treatments also retain *Dichopogon* (2 formal, 1 informal spp.)

### **Arthropodium curvipes** S.Moore

WA

### **Arthropodium dyeri** (Domin) Brittan

*Chamaescilla dyeri* Domin

WA

### **Arthropodium fimbriatum** R.Br.

*Anthericum fimbriatum* (R.Br.) Steud., *nom. illeg.*

*Arthropodium fibriatus* S.Stringer & Conran, *orth. var.*

*Arthropodium laxum* Sieber ex Schult. & Schult.f.

*Dichopogon fimbriatus* (R.Br.) J.F.Macbr.

*Dichopogon sieberianus* Kunth

*Dichopogon strictus auct. non* (R.Br.) Baker: J.G.Baker, J. Linn. Soc., Bot. 15: 319 (1876)

*Dichopogon undulatus* Regel

*Dicopogon laxum* Charsley, *orth. var.*

Treated as *Dichopogon fimbriatus* in WA and NSW.

WA, SA, Qld, NSW, Vic

### **Arthropodium milleflorum** (DC.) J.F.Macbr.

*Anthericum milleflorum* DC.

*Anthericum pendulum* Hornem.

*Arthropodium lindleyi* Kunth

*Arthropodium minus auct. non* R.Br.: J.Lindley, Bot. Reg. 10: t. 866 (1825)

*Arthropodium pendulum* (Hornem.) Spreng., *nom. illeg.*

*Phalangium pendulum* (Hornem.) D.Delaroche

In making the illegitimate later combination *Arthropodium pendulum* Sprengel (1825) cited "Phalangium pendulum Red., Anthericum Hornem.", an indirect reference to *Anthericum pendulum* Hornem. The combination should therefore be attributed *Arthropodium pendulum* (Hornem.) Spreng., *nom. illeg.* (non DC.). Unfortunately it has been variously attributed to (Delaroche) Spreng. and (Redouté) Spreng. by various authors. Redouté entered the picture because Delaroche made the combination *P. pendulum* in a Redouté publication.

SA, Qld, NSW, Vic, Tas

### **Arthropodium minus** R.Br.

*Anthericum minus* (R.Br.) Steud.

*Arthropodium paniculatum* var. *minus* (R.Br.) C.Moore & Betche

*Dichopogon humilis* Kunth

*Dichopogon leimonophilus* F.Muell. ex Baker, *nom. inval., pro syn.*

SA, Qld, NSW, Vic, Tas

**Arthropodium paniculatum** (Andrews) R.Br.

*Anthericum paniculatum* Andrews

*Arthropodium paniculatum* (Andrews) R.Br. var. *paniculatum*

Included in *A. milleflorum* in Flora of Australia, but now recognised as distinct in Qld.

Qld

**Arthropodium pendulum** DC.

Tas

**Arthropodium sp. Albury (A.D.J.Piesse 9)** Vic. Herbarium

*Arthropodium sp. 3* sensu J.G.Conran in N.G.Walsh & T.J.Entwisle, Fl. Victoria 2: 660 (1994)

*Dichopogon sp. A* sensu J.G.Conran *et al.* in G.J.Harden, Fl. New South Wales 4: 94 (1993)

*Dichopogon sp. Albury (N.Brittain s.n.)* sensu Stringer & Conran (1991)

?NSW, Vic

**Arthropodium sp. Mt Coot-tha (J.Conran s.n., 1983)** sensu Stringer & Conran (1991)

Qld

**Arthropodium sp. Snowy R. catchment (N.G.Walsh 6195)** Vic. Herbarium

*Arthropodium sp. 1* sensu J.G.Conran in N.G.Walsh & T.J.Entwisle, Fl. Victoria 2: 659 (1994)

*Arthropodium sp. A* sensu J.G.Conran *et al.* G.J.Harden, Fl. New South Wales 4: 95 (1993)

*Arthropodium sp. Mt Kosciusko (B.Gott s.n., 1987)* sensu Stringer & Conran (1991)

NSW, Vic

**Arthropodium sp. South-east Highlands (N.G.Walsh 811)** Vic. Herbarium

*Arthropodium sp. 2* sensu J.G.Conran in N.G.Walsh & T.J.Entwisle, Fl. Victoria 2: 659 (1994)

*Arthropodium sp. B* sensu J.G.Conran *et al.* G.J.Harden, Fl. New South Wales 4: 95 (1993)

*Arthropodium sp. Tasmania (N.Brittain s.n.)* sensu Stringer & Conran (1991)

Qld, NSW, Vic, Tas

**Arthropodium sp. Yenyenning (G.J. Keighery & N. Gibson 2957)** WA Herbarium

WA

**Arthropodium strictum** R.Br.

*Arthropodium laxum auct. non* Schult. & Schult.f.: J.D.Hooker, Fl. Tasman. 2: t. 131 (1860)

*Dichopogon humilis auct. non* Kunth: J.G.Baker, J. Linn. Soc., Bot. 15: 319 (1876)

*Dichopogon strictus* (R.Br.) Baker

Treated as *Dichopogon strictus* in NSW.

NT, SA, Qld, NSW, Vic, Tas

**ARTHROPODIUM doubtful names**

*Arthropodium appendiculatum* Avé-Lall.

Type not located. Identity uncertain.

*Arthropodium elongatum* DC.

Type not cited. Identity uncertain.

**ASPARAGUS L.**

*Asparagopsis* (Kunth) Kunth non Mont. (1841)

*Asparagus* ?subg. *Asparagopsis* (Kunth) Baker

*Elachanthera* F.Muell.

*Luzuriaga* sect. *Elachanthera* (F.Muell.) K.Krause

*Myrsiphyllum* (L.) Willd.

*Protasparagus* Oberm.

Clifford & Conran, Flora of Australia 45: 159-165 (1987) recognised 3 genera, *Asparagus*, *Protoasparagus* and *Myrsiphyllum*, in this group. Malcomber & Sebsebe, Kew Bulletin, 48: 63-78 (1993) recombined all three genera under the name *Asparagus*, and this disposition is generally accepted, although NT still recognises *Protasparagus*.

**Asparagus aethiopicus L.**

*Asparagopsis densiflora auct. non* Kunth: H.T.Clifford & J.G.Conran, Fl. Austral. 45: 161 (1987), *pro syn.*

*Asparagus aethiopicus* L. 'Sprengeri'

*Asparagus densiflorus* (Kunth) Jessop 'Meyers'

*Asparagus densiflorus auct. non* (Kunth) Jessop: S.W.L.Jacobs & J.Pickard, Pl. New South Wales 24 (1981);

A.N.Rodd & J.Pickard, *Cunninghamia* 1: 275 (1983); J.Pickard, *J. Biogeogr.* 11: 204 (1984); G.Paczkowska &

A.R.Chapman, *W. Austral. Fl.* 37 (2000)

*Asparagus sprengeri* Regel

*Protasparagus aethiopicus* (L.) Oberm.

*Protasparagus densiflorus auct. non* (Kunth) Oberm.: H.T.Clifford & J.G.Conran, Fl. Austral. 45: 161 (1987)

In Australia the name of the S. African species *A. densiflorus* (and its homotypic synonyms) has been misapplied to *A. aethiopicus*. Queensland material is assigned to cultivar 'Sprengeri', New South Wales material to cultivars 'Sprengeri' and 'Meyers', and Vic material to 'Sprengeri' group.

WA (naturalised), SA (naturalised), Qld (naturalised), NSW (naturalised), LHI (naturalised), NI (naturalised), Vic (sparingly naturalised)

**Asparagus africanus Lam.**

*Protasparagus africanus* (Lam.) Oberm.

Qld (naturalised), NSW (naturalised)

**Asparagus asparagoides (L.) Druce**

*Asparagus asparagoides* (L.) W.Wight, *nom. illeg.*

*Asparagus medeoloides* (L.f.) Thunb.

*Dracaena medeoloides* L.f.

*Elachanthera sewelliae* F.Muell.

*Luzuriaga sewelliae* (F.Muell.) K.Krause

*Medeola asparagoides* L.

*Myrsiphyllum asparagoides* (L.) Willd.

WA (naturalised), SA (naturalised), Qld (naturalised), NSW (naturalised), LHI (naturalised), Vic (naturalised), Tas (naturalised)

**Asparagus declinatus L.**

*Asparagus crispus* Lam.

*Myrsiphyllum declinatum* (L.) Oberm.

WA (naturalised), SA (naturalised), Vic (formerly naturalised, now eradicated)

**Asparagus falcatus L.**

Qld (naturalised)

**Asparagus officinalis L.**

WA (naturalised), SA (naturalised), Qld (naturalised), NSW (naturalised), Vic (naturalised), Tas (naturalised)

**Asparagus plumosus Baker**

*Asparagus plumosus* var. *nanus* Hort.

*Asparagus setaceus auct. non* (Kunth) Jessop: S.W.L.Jacobs & J.Pickard, Pl. New South Wales 24 (1981)

*Protasparagus plumosus* (Baker) Oberm.

*Protasparagus setaceus auct. non* (Kunth.) Oberm.: J.P.Jessop, Fl. S. Austral. 4: 1766 (1986); H.T.Clifford & J.G.Conran, Fl. Austral. 46: 162 (1987), *pro syn.*; G.J.Harden, Fl. New South Wales 4: 46 (1993), *pro syn.*

WA (naturalised), SA (naturalised), Qld (naturalised), NSW (naturalised); Vic (sparingly naturalised)

**Asparagus racemosus Willd.**

*Asparagopsis brownei* Kunth *nom. illeg.*

*Asparagus acerosus* Roxb.

*Asparagus fasciculatus* R.Br.

*Protasparagus racemosus* (Willd.) Oberm.

WA, NT, Qld

**Asparagus retrofractus L.**

Qld (sparingly naturalised)

**Asparagus scandens Thunb.**

*Myrsiphyllum scandens* (Thunb.) Oberm.

WA (naturalised), SA (naturalised), NSW (naturalised), Vic (naturalised), Tas (naturalised)

**Asparagus setaceus** (Kunth) Jessop

*Asparagopsis setacea* Kunth

*Protasparagus setaceus* (Kunth) Oberm.

This taxon was included in *Asparagus* (*Protasparagus plumosus*) as a synonym by Clifford & Conran (1987), but is now considered to be distinct. Its presence in Australia is not confirmed.

Australian distribution: ?

**Asparagus virgatus** Baker

*Protasparagus virgatus* (Baker) Oberm.

Qld (naturalised), NSW (naturalised)

**ASPHODELUS L.**

**Asphodelus fistulosus** L.

WA (naturalised), NT (naturalised), SA (naturalised), Qld (naturalised), NSW (naturalised), Vic (naturalised), Tas (naturalised)

**ASTELIA Banks & Sol. ex R.Br.**

*Funckia* Willd. *nom. rej.*

**Astelia alpina** R.Br.

*Funckia alpina* (R.Br.) Kuntze

NSW, Vic, Tas

**Astelia alpina** R.Br. var. **alpina**

Tas

**Astelia alpina** var. **novae-hollandiae** Skottsbo.

NSW, Vic

**Astelia australiana** (J.H.Willis) L.B.Moore

*Astelia nervosa* var. *australiana* J.H.Willis

Vic

**Astelia psychrocharis** F.Muell.

NSW

**BAEOMETRA Salisb.**

**Baeometra uniflora** (Jacq.) G.J.Lewis

*Melanthium uniflorum* Jacq.

WA (naturalised), Vic (naturalised)

**BLANDFORDIA Sm.**

**Blandfordia cunninghamii** Lindl.

*Blandfordia grandiflora* auct. non R.Br.: G.Bentham, Fl. Austral. 7: 23 (1878)

*Blandfordia grandiflora* var. *elongata* Benth.

*Blandfordia grandiflora* var. *elongata* may be a hybrid of *B. cunninghamii* and *B. grandiflora* (fide Henderson, 1987).

NSW

**Blandfordia grandiflora** R.Br.

*Blandfordia aurea* Hook.f.

*Blandfordia flammea* Lindl. ex Paxton

*Blandfordia flammea* var. *aurea* (Hook.f.) Benth. ex F.M.Bailey, *nom. illeg.*

*Blandfordia flammea* var. *aurea* F.M.Bailey

*Blandfordia flammea* var. *princeps* (W.G.Sm.) Baker

*Blandfordia princeps* W.G.Sm.  
Qld, NSW

**Blandfordia nobilis** Sm.

*Blandfordia nobilis* var. *imperialis* W.T.Mill. & N.Taylor  
NSW

**Blandfordia punicea** (Labill.) Sweet

*Aletris punicea* Labill.

*Blandfordia backhousei* Lindl.

*Blandfordia backhousii* Lindl., *orth. var.*

*Blandfordia grandiflora* var. *backhousei* (Lindl.) Hook.f.

*Blandfordia grandiflora* var. *backhousii* Hook.f., *orth. var.*

*Blandfordia grandiflora* var. *intermedia* auct. non (Herb.) Baker: J.G.Baker, J. Linn. Soc., Bot. 11: 365 (1871)

*Blandfordia grandiflora* var. *marginata* (Herb.) Hook.f.

*Blandfordia marginata* Herb.

Tas

**BLANDFORDIA unplaced names**

*Blandfordia intermedia* Herb.

*Blandfordia grandiflora* var. *intermedia* (Herb.) Baker

Type not located. Possibly *B. grandiflora* or an intermeduuate between *B. grandiflora* and *B. nobilis* (Henderson, 1987).

*Blandfordia* × *flammea-elegans* W.G.Sm.

Claimed to be a hybrid between *B. cunninghamii* and *B. flammea* (= *B. grandiflora*), but no specimen seems to have been preserved. Identity uncertain.

**BORYA Labill.**

*Baumgartenia* Spreng.

**Borya constricta** Churchill

*Borya nitida* var. *sublanosa* F.Muell. ex Baker

WA

**Borya inopinata** P.I.Forst. & E.J.Thompson

Qld

**Borya jabirabela** Churchill

WA, NT

**Borya laciniata** Churchill

WA

**Borya longiscapa** Churchill

WA

**Borya mirabilis** Churchill

*Borya nitida* auct. non Labill.: J.H.Willis, Handb. Pl. Victoria 1: 311 (1970)

Vic

**Borya nitida** Labill.

*Baumgartenia lucens* (Poir.) Steud.

*Baumgartenia nitida* (Labill.) Spreng.

*Borya lucens* Poir.

*Borya nitens* Steud., *orth. var.*, *nom. inval.*

*Borya nitida* Labill. var. *nitida*

*Borya sphaerocephala* auct. non R.Br.: S.Endlicher in J.G.C.Lehmann, Pl. Preiss. 2: 43 (1846)

*Borya sublanosa* F.Muell. ex Benth., *nom. inval.*

*Daviesia lucens* Poir.

*Xyris nigromucronata* P.Royen

WA

**Borya scirpoidea** Lindl.

*Borya gracilis* Endl.

WA

**Borya septentrionalis** F.Muell.

Qld

**Borya sp. Wheatbelt (A.S. George 16470)** WA Herbarium

WA

**Borya sphaerocephala** R.Br.

*Baumgartenia sphaerocephala* (R.Br.) Spreng.

*Borya cataractae* Endl.

*Borya lucens* auct. non Poir. (as Labill.): S.Endlicher in J.G.C.Lehmann, Pl. Preiss. 2: 43 (1846)

*Borya scirpoidea* auct. non Lindl.: S.Endlicher in J.G.C.Lehmann, Pl. Preiss. 2: 44 (1846)

WA

**Borya subulata** C.A.Gardner

WA

**BULBINE** Wolf

*Anthericum* L.

*Anthericum* sect. *Bulbine* (Wolf) Endl.

*Blephanthera* Raf.

*Bulbine* sect. *Blephanthera* (Raf.) Kuntze

*Bulbine* sect. *Orphanthera* Benth. & Hook.f.

*Bulbine* subg. *Tripogon* Baker

*Bulbinopsis* Borzí, *nom. illeg.*

*Nemopogon* Raf.

**Bulbine alata** Baijnath

*Bulbine semibarbata* var. *depilata* J.M.Black

*Bulbinopsis semibarbata* var. *depilata* (J.M.Black) H.Eichler

Introgression and hybridisation occurs frequently in NSW and SA between *B. semibarbata* and *B. alata*. *Bulbine semibarbata* var. *depilata* was thought by E.M.Watson (1987) to possibly be the product of such introgression/hybridisation.

WA, NT, SA, Qld, NSW, Vic

**Bulbine bulbosa** (R.Br.) Haw.

*Anthericum bulbosum* R.Br.

*Blephanthera depressa* Raf., *nom. illeg.*

*Blephanthera hookeri* Raf.

*Bulbine australis* Spreng., *nom. illeg.*

*Bulbine fraseri* Kunth

*Bulbinopsis bulbosa* (R.Br.) Borzí

*Phalangium bulbosum* (R.Br.) Kuntze

SA, Qld, NSW, Vic, Tas

**Bulbine crassa** D.I.Morris & Duretto

*Bulbine* sp. *nov.* sensu S.Harris, A.Buchanan & A.Connolly, One Hundred Islands: Fl. Outer Furneaux 122 (2001)

Vic, Tas

**Bulbine glauca** (Raf.) E.M.Watson

*Anthericum semibarbatum* auct. non R.Br.: W.J.Hooker, Bot. Mag. t. 3129 (1832)

*Bulbine hookeri* Kunth, *nom. illeg.*

*Bulbine semibarbata* auct. non (R.Br.) Haw.: J.H.Schultes in J.J.Roemer & J.A.Schultes, Syst. Veg. 7(2): 445 (1830), *p.p.*

*Bulbine suavis* Lindl.

*Bulbinopsis terrae-victoriae* Poelln.

*Nemopogon glaucum* Raf.  
NSW, ACT, Vic, Tas

**Bulbine pendula** Keighery  
WA

**Bulbine semibarbata** (R.Br.) Haw.

*Anthericum semibarbatum* R.Br.

*Bulbine floribunda* Schrad. ex Benth., *nom. inval., pro syn.*

*Bulbine semibarbata* (R.Br.) Haw. f. *semibarbata*

*Bulbine semibarbata* (R.Br.) Haw. var. *semibarbata*

*Bulbine semibarbata* f. *gracilescens* Domin

*Bulbine semibarbata* var. *A* sensu J.P.Jessop, Fl. Centr. Austral. 423 (1981)

*Bulbinopsis semibarbata* (R.Br.) Borzì

*Phalangium semibarbatum* (R.Br.) Kuntze

*Triglochin racemosum* Endl.

Introgression and hybridisation occurs frequently in NSW and SA between *B. semibarbata* and *B. alata*.  
WA, SA, Qld, NSW, Vic, Tas

**Bulbine vagans** E.M.Watson  
Qld, NSW

**BURCHARDIA R.Br.**

*Reya* Kuntze, *nom. rej.*

**Burchardia bairdiae** Keighery

*Burchardia* sp. *A Perth Flora*

WA

**Burchardia congesta** Lindl.

*Burchardia rigida* Gand.

*Burchardia rigida* Gand., *orth. var.*

*Burchardia congesta* was included within *B. umbellata* in Flora of Australia, but reinstated as distinct by Keighery & Muir (2005).

WA

**Burchardia monantha** Domin

WA

**Burchardia multiflora** Lindl.

*Burchardia umbellata* var. *multiflora* (Lindl.) Domin

*Burchardia umbellata* var. *ornithogaloides* Domin

*Burchardia umbellata* var. *strictiflora* Domin, *nom. illeg.*

WA

**Burchardia rosea** Keighery

*Burchardia umbellata* var. *composita* Domin

WA

**Burchardia umbellata** R.Br.

*Burchardia umbellata* f. *minor* Domin

*Burchardia umbellata* R.Br. f. *umbellata*

*Burchardia umbellata* R.Br. var. *umbellata*

*Burchardia umbellata* var. *parviflora* Hook.f.

*Burchardia umbellata* var. *typica* Domin, *nom. illeg.*

*Reya umbellata* (R.Br.) Kuntze

*Burchardia congesta* was included within *B. umbellata* in Flora of Australia, but reinstated as distinct by Keighery & Muir (2005).

SA, Qld, NSW, Vic, Tas

**CAESIA R.Br.**

**Caesia alpina** Hook.f.

*Chlorophytum alpinum* (Hook.f.) Benth. ex Baker  
NSW, Vic, Tas

**Caesia calliantha** R.J.F.Hend.

*Caesia vittata* auct. non R.Br.: L.Rodway, Fl. Tasmania 216 (1903); J.M.Black, Fl. S. Austral. 1: 343 (1978);  
J.H.Willis, Handb. Pl. Victoria 1: 304 (1970); J.P.Jessop & H.R.Toelken, Fl. S. Austral. 4: 1753 (1986)  
SA, NSW, Vic, Tas

**Caesia chlorantha** F.Muell.

*Caesia chlorantha* F.Muell. var. *chlorantha*  
*Caesia vittata* var. *chlorantha* (F.Muell.) Benth.  
WA, NT, Qld

**Caesia micrantha** Lindl.

*Caesia cygnorum* Gand.  
*Caesia micrantha* Lindl. var. *micrantha*  
*Caesia micrantha* var. *major* Endl.  
*Caesia micrantha* var. *minor* Endl.  
*Caesia parviflora* auct. non R.Br.: J.W.Green, Census Vasc. Pl. W Austral. 193 (1985), p.p.  
WA

**Caesia occidentalis** R.Br.

*Caesia parviflora* auct. non R.Br.: J.W.Green, Census Vasc. Pl. W Austral. 193 (1985), p.p.  
*Caesia parviflora* var. *occidentalis* (R.Br.) Domin  
WA

**Caesia parviflora** R.Br.

SA, Qld, NSW, Vic, Tas

**Caesia parviflora** var. **minor** R.J.F.Hend.

SA, NSW, Vic, Tas

**Caesia parviflora** R.Br. var. **parviflora**

*Caesia dichotomizans* Gand.  
Qld, NSW, Vic, Tas

**Caesia parviflora** var. **vittata** (R.Br.) R.J.F.Hend.

*Caesia vittata* R.Br.  
*Caesia vittata* R.Br. var. *vittata*

See R.J.F.Henderson, Fl. Austral. 45: 472 (1987) for a discussion of the typification of the name *C. vittata*.  
?SA, Qld, NSW, Vic, Tas

**Caesia rigidifolia** F.Muell.

WA

**Caesia setifera** Baker

WA, NT, Qld

**Caesia sp. Ennuin (N. Gibson & M.N. Lyons 2737)** WA Herbarium

WA

**Caesia sp. Mt Zeil (G.Griffin 05/Oct/91)** NT Herbarium

NT

**Caesia sp. Wongan (K.F. Kenneally 8820)** WA Herbarium

*Caesia alfordii* Keighery ms, *nom. inval.*  
WA

**Caesia viscida** Keighery

WA

## CAESIA doubtful names

*Caesia chlorantha* var. *comosa* F.Muell., ?*nom. nud.* (n.v.)

Not mentioned in Henderson, Fl. Austral. 45: 281-288 (1987). Identity uncertain.

*Caesia helleri* Heynh., *nom. inval.*, *nom. nud.*

Sourced from "Neuholl." Identity uncertain.

## CALOSTEMMA R.Br.

### **Calostemma luteum** Sims

*Calostemma candidum* Lindl.

This taxon is included in *C. purpureum* in NSW.

SA, Qld, NSW, Vic

### **Calostemma purpureum** R.Br.

*Calostemma carneum* Lindl.

*Calostemma purpureum* R.Br. var. *purpureum*

*Calostemma purpureum* var. *carnea* Benth., *orth. var.*

*Calostemma purpureum* var. *carneum* (Lindl.) Benth.

SA, NSW, Vic

### **Calostemma sp. Everard Ranges (P.J.Lang BS23-30021)** P.J.Lang

SA

## CALOSTEMMA doubtful and excluded names

*Calostemma aureum* Link, *nom. nud.*

Described from "Australia". Link referred to R.Br. Prodr. so this may be *C. purpureum*.

*Calostemma cunninghamii* Loudon, *nom. nud.*

Described from Moreton Bay. Identity uncertain. ?Possibly a reference to *Proiphys (Eurycles) cunninghamii*.

## CAMPYNEMA Labill.

*Campylonema* Schult. & Schult.f., *nom. illeg.*

### **Campynema lineare** Labill.

*Campylonema lineare* (Labill.) Schult. & Schult.f.

*Campynema linearis* Labill., *orth. var.*

*Campynema pygmaeum* Benth.

Tas

## CHAMAESCILLA F.Muell. ex Benth.

### **Chamaescilla corymbosa** (R.Br.) F.Muell. ex Benth.

*Caesia corymbosa* R.Br.

WA, SA, Vic, Tas

### **Chamaescilla corymbosa** (R.Br.) F.Muell. ex Benth. var. **corymbosa**

*Chamaescilla corymbosa* var. *alba* Guilf.

*Chamaescilla tasmanica* Gand.

WA, SA, Vic, Tas

### **Chamaescilla corymbosa** var. **paradoxa** (Endl.) R.J.F.Hend.

*Caesia paradoxa* Endl.

*Chamaescilla paradoxa* (Endl.) Domin

WA

**Chamaescilla gibsonii** Keighery  
*Chamaescilla* sp. *Ellen Brook* (G.J.Keighery 12501)  
WA

**Chamaescilla spiralis** (Endl.) F.Muell. ex Benth.  
*Caesia spiralis* Endl.  
WA

**Chamaescilla versicolor** (Lindl.) Ostenf.  
*Caesia corymbosa* var. *versicolor* (Lindl.) Baker  
*Caesia spiralis* var. *latifolia* F.Muell.  
*Caesia versicolor* Lindl.  
*Chamaescilla corymbosa* var. *latifolia* (F.Muell.) R.J.F.Hend.  
*Chamaescilla corymbosa* var. *versicolor* Domin  
WA

## CHLOROPHYTUM Ker Gawl.

**Chlorophytum comosum** (Thunb.) Jacques  
*Anthericum comosum* Thunb.  
*Chlorophytum capense* auct. non (L.) Voss: N.C.W.Beadle et al., *Handb. Fl. Sydney Dist. & Blue Mountains* 435 (1962)  
WA (naturalised), Qld (naturalised), NSW (naturalised), LHI (naturalised), Vic (naturalised)

**Chlorophytum laxum** R.Br.  
*Chlorophytum xerotinum* F.Muell.  
*Phalangium laxum* (R.Br.) F.Muell.  
WA, NT, Qld

## COLCHICUM L.

**Colchicum autumnale** L.  
SA (sparingly naturalised)

## CORYNOTHECA F.Muell. ex Benth.

**Corynotheca asperata** R.J.F.Hend.  
WA, NT

**Corynotheca flexuosissima** R.J.F.Hend.  
WA

**Corynotheca lateriflora** (R.Br.) F.Muell. ex Benth.  
*Caesia lateriflora* R.Br.  
*Corynotheca lateriflora* (R.Br.) F.Muell. ex Benth. var. *lateriflora*  
NT

**Corynotheca licrota** R.J.F.Hend.  
*Corynotheca lateriflora* auct. non R.Br.: J.P.Jessop, *Fl. S. Austral.* 4: 1752 (1986), *p.p.*  
*Corynotheca lateriflora* var. *laevisperma* Gauba  
NT, SA, Qld, NSW, Vic

**Corynotheca micrantha** (Lindl.) Druce  
*Asparagus micranthus* Lindl.  
*Thysanotus micranthus* Endl.  
WA, NT, SA, Qld, NSW

**Corynotheca micrantha** var. **acanthoclada** (F.Muell.) R.J.F.Hend.  
*Caesia acanthoclada* F.Muell.  
*Corynotheca acanthoclada* (F.Muell.) F.Muell. ex Benth.

WA

**Corynotheca micrantha** var. **divaricata** R.J.F.Hend.

*Corynotheca lateriflora* auct. non R.Br.: J.P.Jessop, Fl. S. Austral. 4: 1752 (1986), p.p.  
WA, NT, SA, Qld, NSW

**Corynotheca micrantha** var. **elongata** R.J.F.Hend.

WA

**Corynotheca micrantha** var. **gracilis** R.J.F.Hend.

WA, NT

**Corynotheca micrantha** (Lindl.) Druce var. **micrantha**

*Caesia dichotoma* F.Muell.  
*Corynotheca dichotoma* (F.Muell.) F.Muell. ex Benth.  
*Thysanotus micranthus* Endl. var. *micranthus*  
*Thysanotus micranthus* var. *major* Endl.  
*Thysanotus micranthus* var. *minor* Endl.

WA

**Corynotheca micrantha** var. **panda** R.J.F.Hend.

WA

**Corynotheca pungens** R.J.F.Hend.

*Corynotheca lateriflora* var. *laevisperma* auct. non Gauba: Victorian Naturalist 65: 113 (1948)  
WA

**CRINUM L.**

*Liriamus* Raf.

**Crinum angustifolium** R.Br.

*Crinum angustifolium* R.Br. var. *angustifolium*  
*Crinum angustifolium* var. *confertum* (Herb.) Baker  
*Crinum arenarium* Herb.  
*Crinum arenarium* Herb. var. *arenarium*  
*Crinum asiaticum* auct. non L.: G.Bentham, Fl. Austral. 6: 454 (1873)  
*Crinum asiaticum* var. *angustifolium* (R.Br.) Benth.  
*Crinum australasicum* Herb. var. *australasicum*  
*Crinum australasicum* Herb., nom. illeg.  
*Crinum australasicum* var. *angustifolium* (R.Br.) Herb.  
*Crinum australasicum* var. *arenarium* (Herb.) Herb.  
*Crinum australasicum* var. *confertum* (Herb.) Herb.  
*Crinum brisbanicum* F.M.Bailey  
*Crinum confertum* Herb.  
*Liriamus quinqueflorus* Raf., nom. illeg.  
WA, NT, Qld

**Crinum asiaticum** L.

Green, Fl. Austral. 49: 510 (1994) considered *C. pedunculatum* to be part of the widespread *C. asiaticum*, following Fosberg & Sachet (1987). This view is not generally accepted in Australia.

ChI, Col

**Crinum flaccidum** Herb.

*Amaryllis australasica* Ker Gawl.  
*Amaryllis australis* Spreng., nom. illeg.  
*Crinum angustifolium* var. *blandum* (Sweet) Baker  
*Crinum arenarium* var. *blandum* Sweet  
*Crinum arenarium* var.  $\beta$  Herb.  
*Crinum asiaticum* auct. non L.: J.W.Green, Census Vasc. Pl. W. Austral. 204 (1985)  
*Crinum australasicum* var. *blandum* Herb.  
*Crinum blandum* (Herb.) M.Roem.  
*Crinum corynorrhizum* F.Muell.

*Crinum pestilentis* F.M.Bailey  
WA, NT, SA, Qld, NSW, Vic

**Crinum luteolum** Traub & L.S.Hannibal ex Traub  
Included in *C. flaccidum* in Flora of Australia, but now recognised as distinct (D.Jones, pers. comm.).  
SA

**Crinum moorei** Hook.f.  
WA (naturalised), NSW (naturalised)

**Crinum pedunculatum** R.Br.  
*Crinum asiaticum* var. *pedunculatum* (R.Br.) Fosberg & Sachet  
*Crinum australe* Donn  
*Crinum australe* Donn var. *australe*  
*Crinum australe* var. *exaltatum* (Herb.) Herb.  
*Crinum australe* var. *pedunculatum* (R.Br.) Herb., *nom. illeg.*  
*Crinum australe* var. *rubricaula* Herb.  
*Crinum brachyandrum* Herb.  
*Crinum brevilimbium* Herb.  
*Crinum douglasii* F.M.Bailey  
*Crinum exaltatum* Herb.  
*Crinum norfolkianum* A.Cunn. ex Heward  
*Crinum rubricaula* (Herb.) M.Roem.  
*Crinum taitense* var. *queenslandicum* Domin

Green, Fl. Austral. 49: 510 (1994) considered *C. pedunculatum* to be part of the widespread *C. asiaticum*, following Fosberg & Sachet (1987). This view is not generally accepted in Australia. True *C. asiaticum* occurs on Christmas and Cocos Islands.

NT, Qld, NSW, LHI, NI

**Crinum uniflorum** F.Muell.  
WA, NT, Qld

**Crinum venosum** R.Br.  
*Crinum brevistylum* F.M.Bailey  
*Crinum intermedium* F.M.Bailey  
NT, Qld

#### CRINUM doubtful and excluded names

*Crinum amabile* Donn, *nom. inval. nom. nud.*  
Reported by Hannibal (1966) for Queensland. Identity uncertain but 'resembles *C. pedunculatum*'.

*Crinum brachynema* Herb.  
Reported by Hannibal (1966) as 'possibly [on] the north coast of Qld and NT', in error. An Indian species.

#### CURCULIGO Gaertn.

**Curculigo ensifolia** R.Br.  
Varietal rank not currently used in WA.  
WA, Qld, NSW

**Curculigo ensifolia** R.Br. var. **ensifolia**  
*Curculigo ensifolia* var. *albopilosa* Domin  
*Curculigo ensifolia* var. *petiolata* Domin  
*Curculigo ensifolia* var. *typica* Domin *nom. inval.*  
Henderson, Fl. Austral. 45: 192 (1987) suggested that the name *C. orchioides* Gaertn. might apply to some forms of this taxon.

WA, NT, Qld, NSW

**Curculigo ensifolia** var. **longifolia** Benth.  
NT

## **CURCULIGO doubtful name**

*Curculigo stans* Labill.

Thought to have been recorded from 'Nova Hollandia' in error for Nova Caledonia (Henderson, 1987).

## **CYANELLA L.**

**Cyanella hyacinthoides** L.

*Cyanella capensis* L.

WA (naturalised)

## **DIANELLA Lam. ex Juss.**

**Dianella amoena** G.W.Carr & P.F.Horsfall

*Dianella caerulea* auct. non Sims: R.J.F.Henderson, Fl. Austral. 45: 211 (1987), *p.p.*, Tas. plants

*Dianella longifolia* auct. non R.Br.: W.M.Curtis & D.I.Morris, Students Fl. Tasmania 4B: 377 (1994)

Vic, Tas

**Dianella atraxis** R.J.F.Hend.

*Dianella ensifolia* auct. non (L.) DC.

Qld

**Dianella bambusifolia** Hallier.f.

? *Dianella caerulea* var. *bambusacea* F.Muell.

*Dianella caerulea* var. *bambusaceae* F.Muell., *orth. var.*

Qld

**Dianella brevicaulis** (Ostenf.) G.W.Carr & P.F.Horsfall

*Dianella revoluta* f. *pygmaea* Schlittler

*Dianella revoluta* var. *brevicaulis* Ostenf.

*Dianella revoluta* var. *breviculmis* R.J.F.Hend., *orth. var.*

WA, SA, Vic, Tas

**Dianella brevipedunculata** R.J.F.Hend.

Hybrids are known between *D. revoluta* var. *revoluta* and *D. brevipedunculata* (Henderson, 1987).

Qld, NSW

**Dianella caerulea** Sims

Gardner, Enum. Pl. Austr. Occ. 19 (1930) misapplied this name to several WA species. Hybrids are known in Qld between *D. caerulea* and *D. congesta*.

Qld, NSW, Vic

**Dianella caerulea** var. **aquilonia** R.J.F.Hend.

Qld

**Dianella caerulea** var. **assera** R.J.F.Hend.

Qld, NSW

**Dianella caerulea** Sims var. **caerulea**

? *Dianella angustifolia* Schult. & Schult.f.

? *Dianella laevis* var. *aspera* Benth.

*Dianella caerulea* Sims f. *caerulea*

*Dianella caerulea* var. *laevigata* Schlittler

Ross & Walsh, Census Vasc. Pl. Victoria 15 (2003) proposed recognising *D. laevis* var. *aspera* as a distinct taxon.

Qld, NSW, Vic, Tas

**Dianella caerulea** var. **cinerascens** R.J.F.Hend.

? *Dianella laevis* f. *confertiflora* Schlittler

NSW

**Dianella caerulea** var. **petasmatodes** R.J.F.Hend.  
Qld, NSW

**Dianella caerulea** var. **producta** R.J.F.Hend.  
Qld, NSW

**Dianella caerulea** var. **protensa** R.J.F.Hend.  
Qld, NSW

**Dianella caerulea** var. **Theresa Creek (W.G.Trappell 269)** R.J.F.Henderson  
*Dianella caerulea*, 'serrulata' variant sensu R.J.F.Henderson, Fl. Austral. 45: 214 (1987)  
*Dianella nemorosa* f. *serrulata* (Hallier.f.) Schlittler  
*Dianella serrulata* Hallier.f.  
Qld

**Dianella caerulea** var. **vannata** R.J.F.Hend.  
Qld, NSW

**Dianella callicarpa** G.W.Carr & P.F.Horsfall  
SA, Vic

**Dianella congesta** R.Br.  
*Dianella caerulea* var. *congesta* (R.Br.) F.M.Bailey  
*Dianella nemorosa* f. *congesta* (R.Br.) Schlittler  
Hybrids are known in Qld between *D. caerulea* and *D. congesta*.  
Qld, NSW

**Dianella crinoides** R.J.F.Hend.  
Qld, NSW

**Dianella fruticans** R.J.F.Hend.  
Qld

**Dianella incollata** R.J.F.Hend.  
Qld

**Dianella intermedia** Endl.  
*Dianella* sp. sensu F.Mueller, Fragm. 9: 78 (1875)  
*Dianella intermedia* var. *caerulea* Regel  
*Dianella intermedia* Endl. var. *intermedia*  
*Dianella caerulea* auct. non Sims: G.Bentham, Fl. Austral. 7: 11 (1878), *p.p.*; W.R.B.Oliver, Trans. & Proc. New Zealand Inst. 49: 131 (1917)  
de Lange et al. (2005), following de Lange & Murray (2003), stated that the Lord Howe Island plants differed from those on Norfolk Island and represented an undescribed species.  
LHI, NI

**Dianella longifolia** R.Br.  
? *Dianella coronata* Schlittler  
? *Dianella longifolia* var. *humilis* F.Muell.  
*Dianella laevis* f. *yarraensis* Schlittler  
*Dianella* sp. aff. *longifolia* (Montrose) sensu J.H. Ross & N.G.Walsh, Census Vasc. Pl. Victoria 16 (2003)  
*Dianella strumosa* Ker Gawl.  
Ross & Walsh, Census Vasc. Pl. Victoria 16 (2003) listed an informal taxon *Dianella* sp. aff. *longifolia* (Montrose), of doubtful status. As this has not been taken up elsewhere, it is here listed under *D. longifolia* pending its formal description and discussion of extra-Victorian distribution.  
WA, NT, SA, Qld, NSW, Vic

**Dianella longifolia** var. **fragrans** R.J.F.Hend.  
Qld

**Dianella longifolia** var. **grandis** R.J.F.Hend.  
*Dianella* sp. aff. *longifolia* (*Benambra*) sensu J.H.Ross & N.G.Walsh, Census Vasc. Pl. Victoria 15 (2003)

*Dianella sp. aff longifolia (Riverina)* sensu J.H.Ross & N.G.Walsh, Census Vasc. Pl. Victoria 15 (2003)  
Hybrids are known between *D. revoluta* var. *revoluta* and *D. longifolia* var. *grandis* (Henderson, 1987). Ross & Walsh, Census Vasc. Pl. Victoria 15 (2003) suggested that this taxon, in Victoria at least, should be recognised as two distinct species, *Dianella sp. aff. longifolia (Benambra)* and *Dianella sp. aff longifolia (Riverina)*. These taxa have not yet been taken up elsewhere.

SA, Qld, NSW, Vic

**Dianella longifolia** R.Br. var. **longifolia**

*Dianella laevis* R.Br.

*Dianella laevis* R.Br. f. *laevis*

*Dianella laevis* R.Br. subsp. *laevis*

*Dianella laevis* R.Br. var. *laevis*

*Dianella laevis* subsp. *rara* Schlittler

*Dianella longifolia* var. *laevis* (R.Br.) Domin

*Dianella longifolia* var. *typica* Domin, *nom. inval.*

Hybrids are known between *D. revoluta* var. *revoluta* and *D. longifolia* var. *longifolia* (Henderson, 1987). Ross & Walsh, Census Vasc. Pl. Victoria 15 (2003) suggested that Vic populations at least should be treated as *D. laevis*, distinct from *D. longifolia s.str.* which is based on Qld plants. This suggestion has not yet been taken up elsewhere.

WA, NT, Qld, NSW, Vic

**Dianella longifolia** var. **stenophylla** Domin

Qld, NSW

**Dianella longifolia** var. **stupata** R.J.F.Hend.

Qld, NSW

**Dianella longifolia** var. **surculosa** R.J.F.Hend.

Qld, NSW

**Dianella nervosa** R.J.F.Hend.

Qld, NSW

**Dianella odorata** Blume

*Dianella caerulea auct. non Sims*: G.Bentham, Fl. Austral. 7: 16 (1878)

NT, Qld

**Dianella pavopennacea** R.J.F.Hend.

Qld

**Dianella pavopennacea** var. **major** R.J.F.Hend.

Qld

**Dianella pavopennacea** R.J.F.Hend. var. **pavopennacea**

Qld

**Dianella pavopennacea** var. **robusta** R.J.F.Hend.

Qld

**Dianella porracea** (R.J.F.Hend.) P.F.Horsfall & G.W.Carr

*Dianella laevis auct. non J.P.Jessop*, Fl. S. Austral. 4: 1755 (1986), *p.p., pro syn.*

*Dianella longifolia* var. *porracea* R.J.F.Hend.

SA, Qld, NSW, Vic

**Dianella prunina** R.J.F.Hend.

*Dianella tasmanica auct. non Hook.f.*: W.M.Curtis, New Phytologist 51: 407 (1952)

NSW

**Dianella rara** R.Br.

*Arthropodium dianellaceum* F.Muell.

*Dianella longifolia* var. *rara* (R.Br.) Domin

Qld, NSW

**Dianella revoluta** R.Br.

*Dianella sp. aff. revoluta (Coastal)* sensu J.H.Ross & N.G.Walsh, Census Vasc. Pl. Victoria 16 (2003)  
*Dianella sp. aff. revoluta (Cobberas)* sensu J.H.Ross & N.G.Walsh, Census Vasc. Pl. Victoria 16 (2003)  
*Dianella sp. aff. revoluta (Crib Point)* sensu J.H.Ross & N.G.Walsh, Census Vasc. Pl. Victoria 16 (2003)  
*Dianella sp. aff. revoluta (Genoa)* sensu J.H.Ross & N.G.Walsh, Census Vasc. Pl. Victoria 16 (2003)  
*Dianella sp. aff. revoluta (Mallee)* sensu J.H.Ross & N.G.Walsh, Census Vasc. Pl. Victoria 16 (2003)  
*Dianella sp. aff. revoluta (Montane)* sensu J.H.Ross & N.G.Walsh, Census Vasc. Pl. Victoria 16 (2003)  
*Dianella sp. aff. revoluta (North-west Victoria)* sensu J.H.Ross & N.G.Walsh, Census Vasc. Pl. Victoria 16 (2003)

Ross & Walsh, Census Vasc. Pl. Victoria 15 (2003) proposed that *Dianella revoluta*, in the sense of J.G.Conran, Fl. Victoria 1: 647-651 (1994), should be recognised as *D. admixta* and 7 further species (as indicated above), the latter not formally published. These segregate taxa are not yet accepted elsewhere, and are here included under *D. revoluta* pending their formal publication and discussion of extra-Victorian distribution.

WA, SA, Qld, NSW, Vic, Tas

***Dianella revoluta* var. *divaricata*** (R.Br.) R.J.F.Hend.

*Dianella divaricata* R.Br.  
*Dianella divaricata* R.Br. f. *divaricata*  
*Dianella effusa* Gand.

WA, SA

***Dianella revoluta* var. *minor*** R.J.F.Hend.

Qld

***Dianella revoluta* R.Br. var. *revoluta***

*Dianella admixta* Gand.  
*Dianella revoluta* f. *elongata* Schlittler  
*Dianella revoluta* R.Br. f. *revoluta*

Hybrids are known between *D. revoluta* var. *revoluta* and *D. brevipedunculata*, *D. longifolia* var. *longifolia*, *D. revoluta* var. *vinosa* and *D. longifolia* var. *grandis* (Henderson, 1987). Ross & Walsh, Census Vasc. Pl. Victoria 15 (2003) suggested that *D. admixta* be recognised as a distinct species.

WA, SA, Qld, NSW, Vic, Tas

***Dianella revoluta* var. *tenuis*** R.J.F.Hend.

Qld

***Dianella revoluta* var. *vinosa*** R.J.F.Hend.

Hybrids are known between *D. revoluta* var. *revoluta* and *D. revoluta* var. *vinosa* (Henderson, 1987).

Qld, NSW

***Dianella sp. Coastal (C.R.Alcock 3033)*** G.W.Carr & P.F.Horsfall

SA

***Dianella tarda*** P.F.Horsfalls & G.W.Carr

SA, Vic, NSW

***Dianella tasmanica*** Hook.f.

*Dianella archeri* Hook.f.  
*Dianella densa* Lindb.  
*Dianella divaricata* f. *densa* Schlittler  
*Dianella divaricata* f. *dentifera* Schlittler  
*Dianella hookeri* Baker  
*Dianella sp. aff. tasmanica (Snowfields)* sensu J.H.Ross & N.G.Walsh, Census Vasc. Pl. Victoria 16 (2003)  
*Dianella sp. aff. tasmanica (Snowy River)* sensu J.H.Ross & N.G.Walsh, Census Vasc. Pl. Victoria 16 (2003)  
*Dianella tasmanica* f. *laevis* Schlittler  
*Dianella tasmanica* Hook.f. f. *tasmanica*  
*Dianella tasmanica* Hook.f. var. *tasmanica*

Ross & Walsh, Census Vasc. Pl. Victoria 16 (2003) proposed that *Dianella tasmanica* in the sense of J.G.Conran, Fl. Victoria 1: 649 (1994) be treated as three separate species, *Dianella tasmanica*, *Dianella sp. aff. tasmanica (Snowfields)* and *Dianella sp. aff. tasmanica (Snowy River)*, neither formally published. As acceptance of these names has implications for extra-Victorian taxa, and they have not yet been taken up elsewhere, they are here included in *D. tasmanica* pending their formal description and discussion.

NSW, ACT, Vic, Tas

## **DIANELLA excluded and unplaced names**

*Dianella caerulea* f. *nutans* Schlittler

Type not found. Identity uncertain (Henderson, 1987).

*Dianella coronata* Schlittler

Described from NSW. Type distorted by insect damage and difficult to identify. Possibly *D. longifolia* var. *grandis* (Henderson, 1987).

*Dianella elegans* Kunth & Bouché

*Dianella caerulea* var. *elegans* (Kunth & Bouché) Schlittler

Described from horticultural material in Berlin. No type located. Identity uncertain (Henderson, 1987).

*Dianella ensifolia* f. *racemulifera* (Schlittler) T.S.Liu & S.S.Ying

*Dianella odorata* f. *racemulifera* Schlittler

Described from Taiwan. Probably not Australian (Henderson, 1987).

*Dianella graminifolia* Kunth & Bouché

*Dianella paniculata* Kunth, *nom. inval.*

Described from cultivated material ex Australia in Berlin. Type destroyed. Possibly *D. longifolia* (Henderson, 1987).

*Dianella laevis* f. *effusa* Schlittler

Type lost. Identity uncertain (Henderson, 1987).

*Dianella longifolia* var. *aspera* Rodway

Type cannot be found. Identity uncertain (Henderson, 1987).

*Dianella nemorosa* Lam., *nom. illeg.* (= *Dianella ensata* (Thunb.) R.J.F.Hend.)

A New Caledonia taxon. Name misapplied by Domin (1915) to plants from N Qld.

*Dianella nemorosa* f. *caeruloides* Schlittler

Described from Vic. Type not located. Identity uncertain (Henderson, 1987).

*Dianella revoluta* f. *denticulata* Schlittler

Type lost. Identity uncertain (Henderson, 1987).

*Dianella tasmanica* var. *gigantea* Schlittler

Described from NSW. Type material inadequate for identification (Henderson, 1987)

*Dianella tasmanica* var. *variegata* Schlittler

*Dianella tasmanica* var. *variegata* Pynaert, *nom. inval.*, *nom. nud.*

Pynaert's plant was described from cultivated material in Belgium, ex Tasmania. Type not located, identity uncertain (Henderson, 1987). Schlittler's name possibly refers to the same taxon, but he did not cite a type.

## **DICHOPOGON Kunth**

*Dichopogon* was treated as a distinct genus in Flora of Australia, but is now included by many in *Arthropodium* following Stringer & Conran (1991). However, in WA three species are retained in *Dichopogon*, at least in part because formal names are not available in *Arthropodium*. Recent NSW treatments also retain *Dichopogon* (2 formal, 1 informal spp.)

**Dichopogon capillipes** (Endl.) Brittan

*Arthropodium capillipes* Endl.

*Dichopogon strictus* auct. non (R.Br.) Baker: C.A.Gardner, Enum. Pl. Austral. Occ. 18 (1930), p.p.

WA

**Dichopogon preissii** (Endl.) Brittan

*Arthropodium preissii* Endl.

*Dichopogon strictus* auct. non (R.Br.) Baker: C.A.Gardner, Enum. Pl. Austral. Occ. 18 (1930), p.p.

WA

**Dichopogon tyleri** Brittan  
WA

**DICHOPOGON doubtful name**

*Dichopogon setosus* Kunth  
*Arthropodium fimbriatum* Roem. & Schult.  
Type not designated. Identity uncertain.

**DRYMOPHILA R.Br.**

**Drymophila cyanocarpa** R.Br.  
NSW, Vic, Tas

**Drymophila moorei** Baker  
*Drymophila pyrrocarpa* F.Muell.  
Qld, NSW

**GLORIOSA L.**

**Gloriosa superba** L.  
NT (sparingly naturalised), d (naturalised), NSW (naturalised), LHI (naturalised), NI (naturalised)

**HABRANTHUS Herb.**

**Habranthus robustus** Herb.  
Qld (naturalised)

**HENSMANIA W.Fitzg.**

**Hensmania chapmanii** Keighery  
WA

**Hensmania stoniella** Keighery  
WA

**Hensmania turbinata** (Endl.) W.Fitzg.  
*Lomandra turbinata* (Endl.) Ewart  
*Xerotes turbinata* Endl.  
WA

**HERPOLIRION Hook.f.**

**Herpolirion novae-zelandiae** Hook.f.  
*Herpolirion tasmaniae* Hook.f.  
NSW, Vic, Tas

**HIPPEASTRUM Herb.**

**Hippeastrum puniceum** (Lam.) Kuntze  
*Amaryllis punicea* Lam.  
*Hippeastrum puniceum* (Lam.) Voss, *nom. illeg.*  
*Hippeastrum purpureum* Kuntze, *orth. var.*

See GRIN database for a discussion of the authorship. The naturalised plants are likely to be horticultural hybrids, based in large part on *H. puniceum*.

?SA (naturalised), NSW (naturalised), LHI (naturalised)

**HODGSONIOLA F.Muell.**

*Hodgsonia* F.Muell., *nom. illeg.*

**Hodgsoniola junciformis** (F.Muell.) F.Muell.

*Hodgsonia junciformis* F.Muell.  
WA

**HYACINTHOIDES Heist. ex Fabr.**

**Hyacinthoides hispanica** (Mill.) Rothm.

Vic (sparingly naturalised)

**Hyacinthoides non-scripta** (L.) Chouard ex Rothm.

SA (naturalised), NSW (naturalised), Vic (naturalised), Tas (sparingly naturalised)

**HYMENOCALLIS Salisb.**

**Hymenocallis caribaea** (L.) Herb.

*Pancratium caribaeum* L.  
NSW (naturalised)

**HYPOXIS L.**

*Hypoxis* sect. *Ianthe* (Baker) Benth. & Hook.f.

*Hypoxis* subg. *Ianthe* Baker

*Ianthe* Salisb., *nom. illeg.*

**Hypoxis arillacea** R.J.F.Hend.

*Hypoxis hygrometrica* var. *elongata* Benth.  
Qld, NSW

**Hypoxis cavernicola** M.D.Barrett ms (in press)

WA

**Hypoxis exilis** R.J.F.Hend.

NSW, Vic

**Hypoxis gardneri** R.J.F.Hend.

*Hypoxis* sp. A sensu B.L.Rye *Fl. Perth Region* 754 (1986).  
WA

**Hypoxis glabella** R.Br.

*Ianthe glabella* (R.Br.) F.N.Williams  
WA, SA, NSW, Vic, Tas

**Hypoxis glabella** R.Br. var. **glabella**

*Hypoxis glabella* var. *pusilla* (Hook.f.) F.Muell. ex Maiden & Betche

*Hypoxis hookeri* Geerinck

*Hypoxis pusilla* Hook.f., *nom. illeg.*

*Ianthe pusilla* F.N.Williams  
WA, SA, NSW, Vic, Tas

**Hypoxis glabella** var. **leptantha** (Benth.) R.J.F.Hend.

*Hypoxis leptantha* Benth.

*Ianthe leptantha* (Benth.) F.N.Williams  
WA

**Hypoxis hygrometrica** Labill.

?SA, Qld, NSW, Vic, Tas

**Hypoxis hygrometrica** Labill. var. **hygrometrica**

?SA, NSW, Vic, Tas

**Hypoxis hygrometrica** var. **splendida** R.J.F.Hend.

NSW, Vic

**Hypoxis hygrometrica** var. **villosisepala** R.J.F.Hend.

Qld, NSW, Vic, Tas

**Hypoxis marginata** R.Br.

Qld

**Hypoxis nervosa** R.J.F.Hend.

*Hypoxis marginata auct. non* R.Br.: J.W.Green, Census Vasc. Pl. W. Austral. 242 (1985)  
WA, NT

**Hypoxis occidentalis** Benth.

WA

**Hypoxis occidentalis** Benth. var. **occidentalis**

WA

**Hypoxis occidentalis** var. **quadriloba** (F.Muell.) R.J.F.Hend.

*Hypoxis glabella* var. *quadriloba* F.Muell.  
WA

**Hypoxis pratensis** R.Br.

*Hypoxis hygrometrica* var. *pratensis* (R.Br.) Benth.  
Qld, NSW

**Hypoxis pratensis** R.Br. var. **pratensis**

Qld, NSW

**Hypoxis pratensis** var. **tuberculata** R.J.F.Hend.

Qld, NSW

**Hypoxis sp. Beaufort (V. Crowley DKN629)** WA Herbarium

WA

**Hypoxis sp. Chinocup (R. Cugley 89)** WA Herbarium

*Hypoxis salina* M.Lyons & Keighery ms  
WA

**Hypoxis vaginata** Schltld.

*Hypoxis glabella auct. non* R.Br.: J.D.Hooker, Fl. Tasman. 2: 36 (1858); G.Bentham, Fl. Austral. 6: 450 (1873); J.P.Jessop, Fl. S. Austral. 4: 1780 (1986)  
WA, SA, NSW, Vic, Tas

**Hypoxis vaginata** var. **brevistigmata** R.J.F.Hend.

NSW, Vic, Tas

**Hypoxis vaginata** Schltld. var. **vaginata**

WA, SA, NSW, Vic, Tas

**IPHEION** Raf.

**Ipheion uniflorum** (Graham) Raf.

*Milla uniflora* Graham

*Triteleia uniflora* Lindl.

*Tristagma uniflorum* (Graham) Traub

In Flora of Australia the authority given was *Ipheion uniflorum* (Graham) Raf., with basionym *Milla uniflora* Graham., presumably in the belief that *Triteleia uniflora* Lindl. was a *nom. subnud.* Recently *T. uniflora* has been accepted as validly published, apparently necessitating a change in the parenthetical author to *I. uniflorum* (Lindl.) Raf. However, Stearn, Ann.Mus.Goulandris. 4: 104 (1978) stated "It is often overlooked that the names *Triteleia uniflora* Lindley and *Milla uniflora* Graham were independently published, the coincidence of epithet resulting from the plant's remarkable one-flowered inflorescence, and that Rafinesque based his name on Graham's and not Lindleys." Traub, Pl. Life 19: 61 (1963) transferred this species to the genus *Tristagma* as *T. uniflorum*, but this transfer has not been generally accepted in Australia.

WA (naturalised), SA (naturalised), NSW (naturalised), Vic (naturalised)

## **IPHIGENIA Kunth**

### **Iphigenia indica** (L.) Kunth

*Anguillaria indica* (L.) R.Br.

*Melanthium indicum* L.

WA, NT, Qld, NSW

## **JOHNSONIA R.Br.**

### **Johnsonia acaulis** Endl.

*Johnsonia acaulis* Endl. var. *acaulis*

*Johnsonia acaulis* var. *drummondii* Baker

*Johnsonia hirta* var. *acaulis* (Endl.) F.Muell.

*Johnsonia pubescens* var. *acaulis* (Endl.) Domin

*Johnsonia pubescens* var. *drummondii* (Baker) Domin

*Johnsonia pubescens* var. *intercedens* Domin

WA

### **Johnsonia inconspicua** Keighery

The informal manuscript name *Johnsonia* sp. A *Perth Flora* was misapplied to this species by S.Curry & A.R.Chapman, Nuytsia 10:463 (1996). Keighery (2001) placed it under *J. pubescens* subsp. *cygnorum*

WA

### **Johnsonia lupulina** R.Br.

*Johnsonia lupulina* R.Br. var. *lupulina*

*Johnsonia lupulina* var. *robustior* Endl.

WA

### **Johnsonia pubescens** Lindl.

*Johnsonia hirta* Lindl.

*Johnsonia hirta* Lindl. var. *hirta*

*Johnsonia hirta* var. *filifolia* F.Muell.

*Johnsonia longifolia* Endl.

*Johnsonia mucronata* Endl.

*Johnsonia pubescens* f. *glabra* Domin, *nom. illeg.*

*Johnsonia pubescens* f. *hirta* (Lindl.) Domin

*Johnsonia pubescens* f. *longibracteata* Domin

*Johnsonia pubescens* var. *filifolia* (F.Muell.) Benth.

*Johnsonia pubescens* var. *hirta* (Lindl.) Baker

WA

### **Johnsonia pubescens** subsp. **cygnorum** Keighery

*Johnsonia* sp. A *Perth Flora*

WA

### **Johnsonia pubescens** Lindl. subsp. **pubescens**

*Johnsonia pubescens* Lindl. f. *pubescens*

*Johnsonia pubescens* Lindl. var. *pubescens*

*Johnsonia pubescens* var. *typica* Domin, *nom. inval.*

WA

**Johnsonia teretifolia** Endl.

*Johnsonia lupulina* var. *teretifolia* (Endl.) Benth.

WA

**KUNTHERIA Conran & Clifford**

**Kuntheria pedunculata** (F.Muell.) Conran & Clifford

*Schelhammera pedunculata* F.Muell.

Qld

**LACHENALIA J.Jacq. ex Murray**

**Lachenalia aloides** (L.f.) Pers. ex Engl.

*Lachenalia tricolor* J.Jacq.

*Phormium aloides* L.f.

WA (naturalised), SA (naturalised)

**Lachenalia bulbifera** (Cirillo) Engl.

*Lachenalia pendula* Sol.

*Phormium bulbifera* Cirillo

WA (naturalised), SA (sparingly naturalised)

**Lachenalia mutabilis** Sweet

WA (naturalised)

**Lachenalia reflexa** Thunb.

WA (naturalised)

**LAXMANNIA R.Br.**

*Bartlingia* F.Muell., *nom. illeg.*

**Laxmannia arida** Keighery

WA, NT

**Laxmannia brachyphylla** F.Muell.

*Bartlingia brachyphylla* (F.Muell.) F.Muell.

WA

**Laxmannia compacta** Conran & P.I.Forst.

Qld, NSW

**Laxmannia gracilis** R.Br.

*Bartlingia gracilis* (R.Br.) F.Muell.

*Laxmannia gracilis* R.Br. var. *gracilis*

*Laxmannia gracilis* var. *illicebrosa* (Rchb.f.) Benth.

*Laxmannia illicebrosa* Rchb.f.

Qld, NSW, Vic

**Laxmannia grandiflora** Lindl.

*Bartlingia grandiflora* (Lindl.) F.Muell.

WA

**Laxmannia grandiflora** subsp. **brendae** Keighery

*Laxmannia* sp. *Little Lindesay* (B.G.Hammersley 1615)

WA

**Laxmannia grandiflora** Lindl. subsp. **grandiflora**

*Laxmannia grandiflora* Lindl. var. *grandiflora*

WA

**Laxmannia grandiflora** subsp. **stirlingensis** Keighery  
WA

**Laxmannia jamesii** Keighery  
WA

**Laxmannia minor** R.Br.  
*Bartlingia minor* (R.Br.) F.Muell.  
*Laxmannia roei* Endl.  
WA

**Laxmannia omnifertilis** Keighery  
WA

**Laxmannia orientalis** Keighery  
*Laxmannia gracilis* var. *minor* H.B.Will.  
*Laxmannia sessiliflora* auct. non Decne.: L.Rodway, Fl. Tasmania 219 (1903); J.H.Willis, Handbk Pl. Victoria 1: 310 (1962); J.P.Jessop, Fl. S. Australia 4: 1757 (1986); S.W.L.Jacobs & J.Pickard, Pl. New South Wales 25 (1981)  
SA, NSW, Vic, Tas

**Laxmannia paleacea** F.Muell.  
*Bartlingia paleacea* (F.Muell.) Ostenf.  
*Laxmannia grandiflora* var. *paleacea* (F.Muell.) Benth.  
WA

**Laxmannia ramosa** Lindl.  
*Bartlingia ramosa* (Lindl.) F.Muell.  
WA

**Laxmannia ramosa** Lindl. subsp. **ramosa**  
WA

**Laxmannia ramosa** subsp. **deflexa** Keighery  
WA

**Laxmannia sessiliflora** Decne.  
*Bartlingia sessiliflora* (Decne.) F.Muell.  
WA

**Laxmannia sessiliflora** subsp. **australis** Keighery  
WA

**Laxmannia sessiliflora** subsp. **drummondii** Keighery  
WA

**Laxmannia sessiliflora** Decne. subsp. **sessiliflora**  
*Laxmannia sessiliflora* Decne. var. *sessiliflora*  
*Laxmannia sessiliflora* var. *congesta* Baker  
WA

**Laxmannia squarrosa** Lindl.  
*Bartlingia sessilis* (Lindl.) F.Muell.  
*Bartlingia squarrosa* (Lindl.) F.Muell.  
*Laxmannia acuta* Endl.  
*Laxmannia morrisii* Keighery  
*Laxmannia pauciflora* Endl.  
*Laxmannia sessilis* Lindl.  
*Laxmannia sylvestris* Endl.

The name *L. morrisii* was based on WA material wrongly labelled as coming from Tasmania (see D.I.Morris, Pap. Proc. Roy Soc. Tasmania 138: 35-36 (2004)).  
WA

## **LEDEBOURIA Roth**

**Ledebouria petiolata** J.C.Manning & Goldblatt  
*Drimiopsis maculata* Lindl. & Paxton  
Qld (naturalised)

## **LEUCOJUM L.**

**Leucojum aestivum** L.  
WA (naturalised), SA (naturalised), NSW (naturalised), Vic (naturalised)

## **LILIUM L.**

**Lilium formosanum** Wallace  
Qld (naturalised), NSW (naturalised), Vic (naturalised), LHI (naturalised), NI (naturalised)

**Lilium lancifolium** Thunb.  
NSW (sparingly naturalised)

## **MILLIGANIA Hook.f.**

**Milligania densiflora** Hook.f.  
Tas

**Milligania johnstonii** F.Muell. ex Benth.  
Tas

**Milligania lindoniana** Rodway ex W.M.Curtis  
Tas

**Milligania longifolia** Hook.f.  
Tas

**Milligania stylosa** (F.Muell. ex Hook.f.) F.Muell. ex Benth.  
*Astelia stylosa* F.Muell. ex Hook.f.  
Tas

## **MOLINERIA Colla**

**Molineria capitulata** (Lour.) Herb.  
*Curculigo capitulata* (Lour.) Kuntze  
*Curculigo recurvata* W.T.Aiton  
*Leucojum capitulatum* Lour.  
*Molineria plicata* Colla  
*Molineria recurvata* (W.T.Aiton) Herb.  
NT, Qld

## **MURCHISONIA Brittan**

**Murchisonia fragrans** Brittan  
WA

**Murchisonia volubilis** Brittan  
*Thysanotus exiliflorus* auct. non F.Muell.: J.M.Black, Fl. S. Australia 1: 108 (1922)  
*Thysanotus patersonii* var. *exfimbriatus* J.M.Black, nom. inval., p.p.  
WA, NT, SA

## MUSCARI Mill.

### **Muscari armeniacum** Leichtlin ex Baker

*Muscari botryoides auct. non* (L.) Mill.: A.J.Ewart, Proc. Roy. Soc. Victoria 33: 230 (1921)

*Muscari conicum* Baker

*Muscari neglectum auct. non* Guss. ex Ten.: J.M.Black, Fl. S. Australia 1: 198 (1943)

SA (naturalised), NSW (naturalised), Vic (naturalised)

### **Muscari comosum** (L.) Mill.

*Hyacinthus comosus* L.

*Leopoldia comosa* (L.) Parl.

*Muscari racemosum auct. non* Mill.: A.J.Ewart, Fl. Victoria 293 (1931)

WA (naturalised), SA (naturalised)

### **Muscari neglectum** Guss. ex Ten.

Vic (sparingly naturalised)

## NARCISSUS L.

### **Narcissus bulbocodium** L.

SA (naturalised)

### **Narcissus × incomparabilis** Mill.

Vic (naturalised)

### **Narcissus × intermedius** Loisel.

Vic (sparingly naturalised)

### **Narcissus jonquilla** L.

SA (naturalised)

### **Narcissus × medioluteus** Mill.

SA (naturalised)

### **Narcissus odorus** L.

SA (naturalised)

### **Narcissus papyraceus** Ker Gawl.

WA (naturalised)

### **Narcissus poeticus** L.

SA (naturalised)

### **Narcissus poeticus** L. subsp. **poeticus**

SA (naturalised)

### **Narcissus pseudonarcissus** L.

The name *Narcissus jonquilla* Nyman has been misapplied to *N. pseudonarcissus* in WA (fide J.W.Green, 1985).

WA (naturalised), SA (naturalised), Vic (naturalised), Tas (naturalised)

### **Narcissus tazetta** L.

Not all States recognise subspecies in this species.

WA (naturalised), SA (naturalised), NSW (naturalised), LHI (naturalised), Vic (naturalised)

### **Narcissus tazetta** subsp. **aureus** (Loisel.) Baker

Vic (naturalised)

### **Narcissus tazetta** subsp. **italicus** (Ker. Gawl.) Baker

Vic (naturalised)

## NEOASTELIA J.B.Williams

**Neoastelia spectabilis** J.B.Williams  
NSW

## NERINE Herb.

**Nerine bowdenii** W.Watson  
WA (naturalised)

**Nerine filifolia** Baker  
NSW (naturalised)

**Nerine flexuosa** (Jacq.) Herb.  
Vic (sparingly naturalised)

**Nerine sarniensis** (L.) Herb.  
*Amaryllis sarniensis* L.  
SA (naturalised)

## NOTHOSCORDUM Kunth

### **Nothoscordum borbonicum** Kunth

*Allium fragrans auct. non* Vent.: J.H.Maiden, Proc. Linn. Soc. New South Wales 23: 148 (1898); J.H.Maiden, Proc. Linn. Soc. New South Wales 28: 767 (1904)  
*Nothoscordum inodorum auct. non* (Aiton) G.Nicholson: A.N.Rodd & J.Pickard, Cunninghamia 1: 278 (1983); J.P.Jessop, Fl. S. Austral. 4: 1764 (1986); J.H.Willis, Handb. Pl. Victoria 1: 325 (1970)  
*Nothoscordum gracile auct. non* (Aiton) Stearn: W.T.Stearn, Fl. Austral. 45: 358 (1987); H.P.Vonow, List Vasc. Pl. S. Australia 107 (1993); J.G.Conran, Fl. Victoria 2: 674 (1994); W.M.Curtis & D.I.Morris, Student's Fl. Tasmania 4B: 394 (1994)

Treated as *N. gracile* in WA, but Green, Fl. Austral. 49: 508 (1994), following Ravenna, Taxon 40: 485-488 (1991) pointed out that the weedy species is *N. borbonicum* not *N. gracile* and this is accepted elsewhere in Australia.

However the situation is not entirely settled, and further changes could flow from additional research.

WA (naturalised), SA (naturalised), Qld (naturalised), NSW (naturalised), LHI (formerly naturalised, ?now eradicated), NI (formerly naturalised, thought to be eradicated, but rediscovered by de Lange *et al.*, 2005), ACT (naturalised), Vic (naturalised), Tas (naturalised)

## ORNITHOGALUM L.

**Ornithogalum angustifolium** Boreau  
Tas (sparingly naturalised)

**Ornithogalum arabicum** L.  
WA (naturalised), SA (sparingly naturalised), Vic (naturalised)

**Ornithogalum longibracteatum** Jacq.  
*Ornithogalum caudatum* W.T.Aiton  
WA (naturalised), NSW (naturalised), Vic (naturalised)

**Ornithogalum maximum** (Burm.f.) J.C.Manning & Goldblatt  
*Albuca canadensis* (L.) F.M.Leight.  
*Albuca major* L.  
*Albuca maxima* Burm.f.  
*Ornithogalum canadense* L.

Treated as *Albuca canadensis* in Flora of Australia, but subsequently subsumed into *A. maxima* (G.Germishhuizen & N.L.Meyer, Strelizia 14: 1055 (2003)) and then into *Ornithogalum* (J.C.Manning *et al.*, Edinburgh J. Bot. 60: 549 (2003))

WA (naturalised)

**Ornithogalum nelsonii** (N.E.Br.) J.C.Manning & Goldblatt

Vic (sparingly naturalised)

**Ornithogalum pyramidale** L.

NSW (naturalised)

**Ornithogalum pyrenaicum** L.

SA (sparingly naturalised)

**Ornithogalum thyrsoides** Jacq.

WA (naturalised), SA (naturalised), NSW (naturalised)

**Ornithogalum umbellatum** L.

SA (naturalised), NSW (naturalised), Vic (naturalised), Tas (naturalised)

**PANCRATIUM** L.

**Pancreatium maritimum** L.

WA (naturalised)

**PROIPHYS** Herb.

*Eurycles* Salisb. ex Schult. & Schult.f.

**Proiphys alba** (R.Br.) Mabb.

*Calostemma album* R.Br.

*Calostemma scott-sellickiana* F.M.Bailey

*Eurycles alba* (R.Br.) F.Muell.

WA, NT, Qld

**Proiphys amboinensis** (L.) Herb.

*Cepa amboinensis* (L.f.) Kuntze

*Eurycles amboinensis* (L.) Lindl.

*Eurycles australasicus* (Ker Gawl.) G.Don

*Eurycles australis* (Spreng.) Schult. & Schult.f., *nom. illeg.*

*Eurycles sylvestris* Salisb. ex Schult. & Schult.f., *nom. illeg.*

*Pancreatium amboinense* L.

*Pancreatium australasicum* Ker Gawl.

*Pancreatium australe* Spreng., *nom. illeg.*

WA, Qld

**Proiphys cunninghamii** (Aiton ex Lindl.) Mabb.

*Cepa cunninghamii* (Aiton ex Lindl.) Kuntze

*Eurycles cunninghamii* Aiton ex Lindl.

*Eurycles cunninghamii* var. *whittlei* F.M.Bailey

*Pancreatium cunninghamii* (Aiton ex Lindl.) Steud.

Qld, NSW

**Proiphys infundibularis** D.L.Jones & Dowe

Qld

**SCHELHAMMERA** R.Br.

*Kreysigia* Rchb.

*Parduyna* Salisb.

**Schelhammera multiflora** R.Br.

*Kreysigia multiflora* (R.Br.) Rchb.

*Parduyna multiflora* (R.Br.) Salisb. ex Dandy

Qld

**Schelhammera undulata** R.Br.

*Parduyna undulata* (R.Br.) Dandy

NSW, Vic

**SCILLA L.**

**Scilla hyacinthoides** L.

SA (naturalised)

**Scilla peruviana** L.

SA (naturalised), Vic (naturalised), Tas (sparingly naturalised)

**SOWERBAEA Sm.**

**Sowerbaea alliacea** F.Muell.

WA, NT

**Sowerbaea juncea** Andrews

*Sowerbaea juncea* Sm., *nom. illeg.*

Qld, NSW, Vic, Tas

**Sowerbaea laxiflora** Lindl.

WA

**Sowerbaea multicaulis** E.Pritz.

WA

**Sowerbaea subtilis** D.A.Stewart

Qld

**SPILOXENE Salisb.**

Mabberley, Plant Book 357, 676 (1997) stated that this genus is sometimes considered congeneric with *Hypoxis*.

**Spiloxene capensis** (L.) Garside

Vic (naturalised)

**STAWELLIA F.Muell.**

**Stawellia dimorphantha** F.Muell.

*Johnsonia stawelli* F.Muell., *nom. inval., pro syn.*

WA

**Stawellia gymnocephala** Diels

WA

**STERNBERGIA Waldst. & Kit.**

**Sternbergia lutea** (L.) Ker. Gawl. ex Spreng.

SA (naturalised)

**Sternbergia lutea** (L.) Ker. Gawl. ex Spreng. subsp. **lutea**

SA (naturalised)

**STYPANDRA R.Br.**

*Styponema* Salisb.

**Stypandra glauca** R.Br.

*Arthropodium glaucum* (R.Br.) Spreng.

*Arthropodium imbricatum* (R.Br.) Spreng.

*Stypandra frutescens* Knowles & Westc.  
*Stypandra glauca* R.Br. var. *glauca*  
*Stypandra glauca* var. *grandiflora* (Lindl.) Baker  
*Stypandra glauca* var. *minor* F.Muell.  
*Stypandra glauca* var. *propinqua* (A.Cunn. ex Hook.) Baker  
*Stypandra graminea* Gand.  
*Stypandra grandiflora* Lindl.  
*Stypandra imbricata* R.Br.  
*Stypandra laeta* Gand.  
*Stypandra latifolia* Gand.  
*Stypandra propinqua* A.Cunn. ex Hook.  
*Stypandra virgata* Endl.  
*Stypandra scoparia* Endl.  
WA, SA, Qld, NSW, Vic

**Stypandra jamesii** Hopper  
WA

### **THELIONEMA R.J.F.Hend.**

**Thelionema caespitosum** (R.Br.) R.J.F.Hend.  
*Arthropodium caespitosum* (R.Br.) Spreng.  
*Stypandra caespitosa* R.Br.  
*Stypandra caespitosa* R.Br. var. *caespitosa*  
*Stypandra caespitosa* var. *alba* Ewart  
*Stypandra juncinella* Gand.

Putative natural hybrids are known between *T. umbellatum* and *T. caespitosum* in NSW (Henderson, 1987).  
SA, Qld, NSW, Vic, Tas

**Thelionema grande** (C.T.White) R.J.F.Hend.  
*Stypandra grandis* C.T.White

Putative natural hybrids are known between *T. umbellatum* and *T. grande* in NSW (Henderson, 1987).  
Qld, NSW

**Thelionema umbellatum** (R.Br.) R.J.F.Hend.  
*Arthropodium umbellatum* (R.Br.) Spreng.  
*Stypandra caespitosa* var. *umbellata* (R.Br.) F.Muell. ex C.Moore & Betche  
*Stypandra umbellata* R.Br.  
*Stypandra umbellata* R.Br. var. *umbellata*  
*Stypandra umbellata* var. *fraseri* Baker

Putative natural hybrids are known between *T. umbellatum* and both *T. caespitosum* and *T. grande* in NSW (Henderson, 1987).

NSW, Vic, Tas

### **THYSANOTUS R.Br.**

*Chlamyспорum* Salisb. *nom. rej.*  
*Isandra* Salisb.  
*Thysanella* Salisb. *nom. illeg.* non A.Gray (1845).

**Thysanotus acerosifolius** Brittan  
WA

**Thysanotus anceps** Lindl.  
*Chlamyспорum anceps* (Lindl.) Kuntze  
WA

**Thysanotus arbuscula** Baker  
*Chlamyспорum arbusculum* (Baker) Kuntze  
WA

**Thysanotus arenarius** Brittan

*Thysanotus anceps* auct. non Lindl.: S.Endlicher in J.G.C.Lehmann, Pl. Preiss. 2: 37 (1846)

WA

**Thysanotus asper** Lindl.

*Chlamysporum asperum* (Lindl.) Kuntze

WA

**Thysanotus banksii** R.Br.

*Chlamysporum banksii* (R.Br.) Britten

*Thysanotus paniculatus* R.Br.

*Thysanotus tuberosus* auct. non R.Br.: C.A.Gardner, Enum. Pl. Austral. Occ. 18 (1930); A.J.Ewart & O.B.Davies, Fl. N. Terr. 71 (1917); F.M.Bailey, Queensland Fl. 1629 (1902), *p.p.*; G. Bentham, Fl. Austral. 7: 41 (1878), *p.p.*

WA, NT, Qld

**Thysanotus baueri** R.Br.

*Chlamysporum baueri* (R.Br.) Kuntze

*Thysanotus humilis* F.Muell.

*Thysanotus undulatorum* Behr ex Baker

WA, SA, NSW, Vic

**Thysanotus brachiatus** Brittan

WA

**Thysanotus brachyantherus** Brittan

WA

**Thysanotus brevifolius** Brittan

WA

**Thysanotus chinensis** Benth.

*Chlamysporum chrysantherum* (F.Muell.) Kuntze

*Thysanotus chrysantherus* F.Muell.

WA, NT, Qld

**Thysanotus cymosus** Brittan

WA

**Thysanotus dichotomus** (Labill.) R.Br.

*Chlamysporum dichotomum* (Labill.) Kuntze

*Ornithogalum dichotomum* Labill.

*Thysanotus dichotomus* (Labill.) R.Br. var. *dichotomus*

*Thysanotus dichotomus* var. *lindleyanus* (Endl.) F.Muell. & Tate

*Thysanotus divaricatus* R.Br.

*Thysanotus elongatus* R.Br.

*Thysanotus flexuosus* R.Br.

*Thysanotus intricatus* Lindl.

*Thysanotus lindleyanus* Endl.

WA

**Thysanotus exiliflorus** F.Muell.

*Chlamysporum exiliflorum* (F.Muell.) Kuntze

WA, NT, SA

**Thysanotus fastigiatus** Brittan

WA

**Thysanotus formosus** Brittan

WA

**Thysanotus fractiflexus** Brittan

SA

**Thysanotus gageoides** Diels

WA

**Thysanotus glaucifolius** Brittan

WA

**Thysanotus glaucus** Endl.

*Chlamyспорum glaucum* (Endl.) Kuntze

WA

**Thysanotus gracilis** R.Br.

WA

**Thysanotus isantherus** R.Br.

*Chlamyспорum isantherum* (R.Br.) Kuntze

WA

**Thysanotus juncifolius** (Salisb.) J.H.Willis & Court

*Chlamyспорum junceum* (R.Br.) Kuntze *nom. illeg.*

*Chlamyспорum juncifolium* Salisb.

*Thysanotus dichotomus auct. non* (Labill.) R.Br.: J.M.Black, Fl. S. Austral. 1:192 (1960); J.H.Willis, Handb.

Pl. Victoria 1: 307 (1970)

*Thysanotus junceus* R.Br., *nom. illeg.*

SA, Qld, NSW, Vic

**Thysanotus lavanduliflorus** Brittan

WA

**Thysanotus manglesianus** Kunth

*Thysanotus patersonii* subsp. *manglesianus* (Kunth) Brittan

WA

**Thysanotus multiflorus** R.Br.

*Chlamyспорum multiflorum* (R.Br.) Britten

*Thysanotus brevipes* Endl.

*Thysanotus multiflorus* R.Br. var. *multiflorus*

*Thysanotus multiflorus* var. *prolifer* (Lindl.) Benth.

*Thysanotus proliferus* Lindl.

WA

**Thysanotus nudicaulis** Brittan

WA, SA

**Thysanotus parviflorus** Brittan

WA

**Thysanotus patersonii** R.Br.

*Thysanotus patersonii* R.Br., *orth. var.*

*Thysanotus patersonii* R.Br. subsp. *patersonii*

*Thysanotus patersonii* var. *exfimbriatus* J.M.Black, *nom. inval., p.p.*

WA, SA, NSW, Vic, Tas

**Thysanotus pauciflorus** R.Br.

*Chlamyспорum pauciflorum* (R.Br.) Kuntze

WA

**Thysanotus pseudojunceus** Brittan

WA

**Thysanotus pyramidalis** Brittan

WA

**Thysanotus ramulosus** Brittan

WA

**Thysanotus rectantherus** Brittan

WA

**Thysanotus sabulosus** Brittan

WA

**Thysanotus scaber** Endl.

*Chlamysporum scabrum* (Endl.) Kuntze

WA

**Thysanotus sp. Badgingarra (E.A.Griffin 2511)** WA Herbarium

WA

**Thysanotus sp. Desert East of Newman (R.P.Hart 964)** WA Herbarium

*Thysanotus solitaster* H.R.White & T.Macfarl., ms

WA

**Thysanotus sp. Eremaean (S. van Leeuwen 1067)** WA Herbarium

*Thysanotus inaequalis* H.R.White & T.Macfarlane ms, *nom. inval.*

WA

**Thysanotus sp. Great Victoria Desert (A.S.George 8406)** WA Herbarium

*Thysanotus eremophilus* H.R.White & T.Macfarlane ms, *nom. inval.*

WA

**Thysanotus sp. Kalbarri (D. & B.Bellairs 1523A)** WA Herbarium

*Thysanotus kalbarriensis* H.R.White & T.Macfarlane ms, *nom. inval.*

WA

**Thysanotus sp. Twining Wheatbelt (N.H.Brittan 81/29)** WA Herbarium

*Thysanotus brittanii* H.R.White & T.Macfarlane ms, *nom. inval.*

WA

**Thysanotus sparteus** R.Br.

*Thysanotus deformis* R.Br.

WA

**Thysanotus speckii** Brittan

*Thysanotus newbeyi* Brittan

WA

**Thysanotus spiniger** Brittan

WA

**Thysanotus tenellus** Endl.

*Chlamysporum drummondii* (Baker) Kuntze

*Thysanotus drummondii* Baker

*Thysanotus exasperatus* F.Muell.

*Thysanotus isantherus auct. non* R.Br.: G.Bentham, Fl. Austral. 7: 40 (1878)

*Thysanotus tenuis auct. non* Lindl.: J.G.Baker, J.Linn. Soc., Bot. 15: 341 (1876)

WA, SA

**Thysanotus tenuis** Lindl.

*Chlamysporum tenue* (Lindl.) Kuntze

WA

**Thysanotus teretifolius** Brittan

WA

**Thysanotus thyrsoides** Baker

*Chlamysporum thyrsoides* (Baker) Kuntze

*Thysanotus tenuis* auct. non Lindl.: S.L.Endlicher in J.G.C.Lehmann, Pl. Preiss. 2: 37 (1846), p.p.  
WA

**Thysanotus triandrus** (Labill.) R.Br.

*Chlamyспорum triandrum* (Labill.) Britten

*Ornithogalum triandrum* Labill.

*Thysanotus bentianus* Ewart & Jean White

*Thysanotus hispidulus* R.Br.

*Thysanotus nanus* Endl.

*Thysanotus triandrus* (Labill.) R.Br. var. *triandrus*

*Thysanotus triandrus* var. *bentianus* (Ewart & Jean White) Domin

*Thysanotus triandrus* var. *hispidulus* (R.Br.) Domin

*Thysanotus triandrus* var. *praecox* Domin

*Thysanotus triandrus* var. *pritzelianus* Domin

*Thysanotus triandrus* var. *tunicatus* Domin

*Thysanotus triandrus* var. *typicus* Domin, *nom. inval.*

WA

**Thysanotus tuberosus** R.Br.

*Chlamyспорum tuberosum* (R.Br.) Kuntze

*Thysanotus elatior* R.Br.

SA, Qld, NSW, ACT, Vic

**Thysanotus tuberosus** subsp. **parviflorus** (Benth.) Brittan

*Thysanotus tuberosus* var. *parviflorus* Benth.

SA, Qld, NSW, Vic

**Thysanotus tuberosus** R.Br. subsp. **tuberosus**

*Thysanotus tuberosus* R.Br. var. *tuberosus*

SA, Qld, NSW, ACT, Vic

**Thysanotus vernalis** Brittan

WA

**Thysanotus virgatus** Brittan

NSW

**Thysanotus wangariensis** Brittan

SA

**THYSANOTUS doubtful names**

*Thysanotus menziesii* R.Br.

*Chlamyспорum menziesii* (R.Br.) Kuntze

Described from WA. Type specimen not located. Identity uncertain.

*Thysanotus volubilis* R.Br.

Type specimen not located. Possibly a synonym of *T. patersonii* (fide Brittan, 1987).

**TRACHYANDRA Kunth**

**Trachyandra divaricata** (Jacq.) Kunth

*Anthericum divaricatum* Jacq.

*Anthericum longifolium* auct. non Jacq.: J.R.Tovey & P.F.Morris, Proc. Roy. Soc. Victoria 35: 196 (1923)

*Asphodelus* sp. sensu J.P.Jessop, List Vasc. Pl. S Austral. 106 (1993)

Recorded once from Vic (1912) but apparently not establishing.

WA (naturalised), SA (sparingly naturalised), NSW (naturalised), Vic (formerly escaped from cultivation, now absent)

**TRICORYNE R.Br.**

**Tricoryne anceps** R.Br.  
Qld, NSW

**Tricoryne anceps** R.Br. subsp. **anceps**  
*Tricoryne anceps* R.Br. var. *anceps*  
*Tricoryne anceps* var. *typica* Domin, *nom. inval.*  
Qld

**Tricoryne anceps** subsp. **pteroaulon** (Baker) Thongp.  
*Tricoryne pterocaulon* Baker  
Qld, NSW

**Tricoryne corynothecoides** Keighery  
WA

**Tricoryne elatior** R.Br.  
*Tricoryne elatior* R.Br. var. *elatior*  
*Tricoryne elatior* var. *decipiens* Domin  
*Tricoryne elatior* var. *muricatula* Domin  
*Tricoryne elatior* var. *scabra* (R.Br.) Baker  
*Tricoryne elatior* var. *typica* Domin, *nom. inval.*  
*Tricoryne scabra* R.Br.  
WA, NT, SA, Qld, NSW, Vic, Tas

**Tricoryne humilis** Endl.  
WA

**Tricoryne muricata** Baker  
*Tricoryne anceps* var. *muricata* (Baker) Domin  
Qld

**Tricoryne simplex** R.Br.  
NSW

**Tricoryne sp. Eneabba (E.A.Griffin 1200)** WA Herbarium  
*Tricoryne robusta* Keighery ms, *nom. inval.*  
WA

**Tricoryne sp. Geraldton (G.J.Keighery 10461)** WA Herbarium  
*Tricoryne thiniigena* Keighery ms, *nom. inval.*  
WA

**Tricoryne sp. Hamersley Range (S. van Leeuwen 915)** WA Herbarium  
*Tricoryne trudgeniana* Keighery ms, *nom. inval.*  
WA

**Tricoryne sp. Kimberley (K.F.Kenneally 4857)** WA Herbarium  
*Tricoryne tropica* Keighery ms, *nom. inval.*  
WA

**Tricoryne sp. Morawa (G.J.Keighery & N.Gibson 6759)** WA Herbarium  
*Tricoryne tuberosa* Keighery ms, *nom. inval.*  
WA

**Tricoryne sp. Mullewa (G.J.Keighery 12080)** WA Herbarium  
*Tricoryne spinosa* Keighery ms  
WA

**Tricoryne sp. South Coast (T.E.H.Aplin 2653)** WA Herbarium  
*Tricoryne eyreana* Keighery ms, *nom. inval.*  
WA

**Tricoryne sp. Wongan Hills (B.H.Smith 794)** WA Herbarium

*Tricoryne arenicola* Keighery ms, *nom. inval.*

WA

**Tricoryne tenella** R.Br.

*Tricoryne elatior* var. *caespitosa* Diels

WA, SA, Vic

**TRICORYNE doubtful name**

*Tricoryne platyptera* Rchb.f.

Described from Qld. Type not located and description casts doubt on its generic alignment (A.Thongpukdee, 1987).

**TRIPLADENIA D.Don**

**Tripladenia cunninghamii** D.Don

*Kreysigia tripladenia* F.Muell., *orth. var.*

*Kreysigia cunninghamii* (D.Don) F.Muell.

*Kreysigia multiflora* auct. *non* (R.Br.) Rchb.: S.W.L.Jacobs & J.Pickard, Pl. New South Wales 25 (1981);  
J.Conran, Taxon 34: 346 (1985)

*Kreysigia tripladenia* F.Muell., *nom. illeg.*

*Schelhammera multiflora* Lodd. *nom. illeg.*

Qld, NSW

**TULBAGHIA L.**

**Tulbaghia violacea** Harvey

SA (naturalised)

**WURMBEA Thunb.**

*Anguillaria* R.Br., *nom. cons.*

*Anguillaria* 2. *Glossocodon* Endl.

*Anguillaria* sect. *Glossocodon* (Endl.) Pfeiffer

**Wurmbea biglandulosa** (R.Br.) T.D.Macfarl.

*Anguillaria australis* F.Muell., *p.p.*, *nom. illeg.*

*Anguillaria biglandulosa* R.Br.

*Melanthium brownii* Schldl., *p.p.*, *nom. illeg.*

Subspecies rank not currently used in NSW.

Qld, NSW, Vic

**Wurmbea biglandulosa** (R.Br.) T.D.Macfarl. subsp. **biglandulosa**

Qld, NSW, Vic, Tas

**Wurmbea biglandulosa** subsp. **flindersica** R.J.Bates

*Wurmbea centralis* auct. *non* T.D.Macfarl.: T.D.Macfarlane, Fl. S. Australia 4: 1772 (1986), *p.p.*

*Wurmbea dioica* subsp. *dioica* auct. *non* T.D.Macfarl.: T.D.Macfarlane, Fl. S. Australia 4: 1772 (1986), *p.p.*

SA

**Wurmbea calcicola** T.D.Macfarl.

*Wurmbea* sp. *Cape Naturaliste* (S.D. Hopper 5871)

WA

**Wurmbea centralis** T.D.Macfarl.

WA, NT, SA

**Wurmbea centralis** subsp. **australis** R.J.Bates

SA

**Wurmbea centralis** T.D.Macfarl. subsp. **centralis**  
NT, SA

**Wurmbea cernua** T.D.Macfarl.  
WA

**Wurmbea decumbens** R.J.Bates  
*Wurmbea centralis* auct. non T.D.Macfarl.: T.D.Macfarlane, Brunonia 3: 198 (1980), p.p.  
SA

**Wurmbea densiflora** (Benth.) T.D.Macfarl.  
*Anguillaria densiflora* Benth.  
WA

**Wurmbea deserticola** T.D.Macfarl.  
WA, NT, SA

**Wurmbea dilatata** T.D.Macfarl.  
WA

**Wurmbea dioica** (R.Br.) F.Muell.  
*Anguillaria australis* F.Muell., p.p., nom. illeg.  
*Anguillaria dioica* R.Br.  
*Wurmbea dioicea* F.Muell., orth. var.  
WA, SA, Qld, NSW, ACT, Vic, Tas

**Wurmbea dioica** subsp. **alba** T.D.Macfarl.  
*Wurmbea humilis* T.D.Macfarl.  
WA

**Wurmbea dioica** subsp. **citrina** R.J.Bates  
*Wurmbea dioica* subsp. *dioica* auct. non T.D.Macfarl.: T.D.Macfarlane, Fl. S. Australia 4: 1772 (1986), p.p.  
SA, NSW

**Wurmbea dioica** (R.Br.) F.Muell. subsp. **dioica**  
SA, Qld, NSW, ACT, Vic, Tas

**Wurmbea dioica** subsp. **lacunaria** R.J.Bates  
SA, Vic

**Wurmbea dioica** subsp. **Short upper leaf (S.Williams CBP23)** R.J.Bates  
*Wurmbea dioica* subsp. *dioica* auct. non T.D.Macfarl.: T.D.Macfarlane, Fl. S. Australia 4: 1772 (1986), p.p.  
SA

**Wurmbea drummondii** Benth.  
*Wurmbea drummondi* Benth., orth. var.  
Natural hybrids are known between *W. drummondii* and *W. tenella*.  
WA

**Wurmbea graniticola** T.D.Macfarl.  
WA

**Wurmbea inframediana** T.D.Macfarl.  
WA

**Wurmbea latifolia** T.D.Macfarl.  
Subspecies rank not currently used in this taxon in NSW.  
SA, NSW, Vic, Tas (possibly extinct)

**Wurmbea latifolia** T.D.Macfarl. subsp. **latifolia**  
SA

**Wurmbea latifolia** subsp. **vanessae** R.J.Bates

*Anguillaria dioica* var. *multiflora* Hook.f.  
SA, ?NSW, Vic, ?Tas (possibly extinct)

**Wurmbea monantha** (Endl.) T.D.Macfarl.  
*Anguillaria monantha* Endl.  
WA

**Wurmbea murchisoniana** T.D.Macfarl.  
WA

**Wurmbea odorata** T.D.Macfarl.  
WA

**Wurmbea pygmaea** (Endl.) Benth.  
*Anguillaria pygmaea* Endl.  
WA

**Wurmbea saccata** T.D.Macfarl. & S.J.van Leeuwen  
WA

**Wurmbea sinora** T.D.Macfarl.  
*Wurmbea* sp. *Frankland National Park* (T.D.Macfarlane 2238)  
WA, SA

**Wurmbea** sp. **Coor-De-Wandy (T.D. Macfarlane & R. Davis TDM 3324)**  
WA

**Wurmbea** sp. **Cranbrook (A.R. Annels 3819)** WA Herbarium  
WA

**Wurmbea** sp. **Great Victoria Desert (G.J. Keighery 7501)** WA Herbarium  
WA

**Wurmbea** sp. **Kennedy Range (K.R. Newbey 11582)** WA Herbarium  
WA

**Wurmbea** sp. **Muggon (T.D. Macfarlane & R. Davis TDM 3336)** WA Herbarium  
WA

**Wurmbea** sp. **Nilpinna (F.J.Badman 7107)** R.J.Bates  
SA

**Wurmbea** sp. **Upper Murchison (A.P. Brown & J. Start APB 3562)** WA Herbarium  
WA

**Wurmbea stellata** R.J.Bates  
SA

**Wurmbea tenella** (Endl.) Benth.  
Natural hybrids are known between *W. drummondii* and *W. tenella*.  
*Anguillaria tenella* Endl.  
WA

**Wurmbea tubulosa** Benth.  
WA

**Wurmbea uniflora** (R.Br.) T.D.Macfarl.  
*Anguillaria australis* F.Muell., *p.p.*, *nom. illeg.*  
*Anguillaria uniflora* R.Br.  
SA, NSW, Vic, Tas

**ZEPHYRANTHES Herb.**

**Zephyranthes candida** (Herb.) Herb.

*Amaryllis candida* Herb.

Qld (naturalised), NSW (naturalised), Vic (sparingly naturalised)

**Zephyranthes drummondii** D. Don

Qld (naturalised)

**Zephyranthes grandiflora** Lindl.

*Zephyranthes carinata* Herb.

Qld (naturalised)

**Zephyranthes rosea** (Spreng.) Lindl.

*Amaryllis rosea* Spreng.

CoI (naturalised)

#### **ZEPHYRANTHES doubtful and excluded names**

*Zephyranthes atamasco* (L.) Herb.

Recorded as a garden escape in WA by C.A. Gardner, J. Proc. Roy. Soc. W. Australia 11: 72 (1925), but not persisting.

#### **LILIACEAE excluded and doubtful names**

*Bidwellia glaucescens* Herb.

Described from cultivated material from New England, NSW. Possibly *Caesia parviflora*, fide Henderson, Fl. Austral. 45: 419 (1987).

*Bulbinella caudata* (Thunb.) Kunth

Recorded for WA by C.A. Gardner, J. & Proc. Roy. Soc. W. Australia 11: 72 (1925), but not confirmed.

*Bulbinella floribunda* (Aiton) T. Durand & Schinz

Recorded for WA by J.W. Green, Census Vasc. Pl. W. Australia 192 (1985), but not supported by specimens.